

## **Regional Air Quality Analyses for Ozone, PM2.5, and Regional Haze: Final Technical Support Document (Supplement), September 12, 2008**

The purpose of this paper is to summarize a new modeling analysis performed by the Lake Michigan Air Directors Consortium (LADCO) to address the effect of the recent court decision vacating EPA's Clean Air Interstate Rule (CAIR). This new modeling is intended to supplement the LADCO Technical Support Document ("Regional Air Quality Analyses for Ozone, PM2.5, and Regional Haze: Final Technical Support Document", April 25, 2008), which summarizes the air quality analyses conducted by LADCO and its contractors to support the development of State Implementation Plans for ozone, PM2.5, and regional haze in the States of Illinois, Indiana, Michigan, Ohio, and Wisconsin.

Compared to the previous LADCO modeling (Round 5.1), the new modeling shows similar results for ozone, but much more nonattainment for PM2.5 and higher visibility levels for regional haze. Specifically, the new modeling shows:

**Ozone:** Attainment of the 0.08 ppm standard by 2009 everywhere in the region, except Holland, MI, and nonattainment of the 0.075 ppm standard through at least 2018.

**PM2.5:** Widespread nonattainment of annual ( $15 \text{ ug/m}^3$ ) and daily ( $35 \text{ ug/m}^3$ ) standards.

**Haze:** Higher visibility levels on the 20% worst visibility days in 2018 in Class I areas in the eastern U.S., resulting in most areas being above the glide path.

**Background:** On July 11, 2008, the U.S. Court of Appeals for D.C. Circuit vacated EPA's CAIR rule (cite). The reductions in NOx and SO<sub>2</sub> emissions associated with this rule were a key part of the LADCO States' attainment demonstrations for ozone and PM2.5 and the reasonable progress determinations for regional haze. LADCO's previous modeling (Round 5.1) relied on EGU emission projections from EPA's IPM3.0 analysis, which assumed implementation of Phases I and II of CAIR. For this new modeling, alternative EGU emission projections were developed, which did not rely on CAIR (or IPM).

**Model Set-Up:** The new modeling was performed consistent with LADCO's previous modeling (Round 5.1):

Model Version: CAMx v4.50beta\_deposition

Future Years: 2009, 2012, 2018

Runs:      (a) Ozone: Summer 2005 meteorology with 12 km grids  
                (b) PM2.5 and haze: Full year 2005 meteorology with 36 km grids

**Emission Scenarios:** The new modeling assumed the same set of "on the books" controls as in LADCO's previous modeling (Round 5.1) for all sectors, except EGUs. In light of the CAIR decision, three new EGU scenarios were prepared:

Scenario A: 2007 CEM-based emissions were projected for all states in the modeling domain based on EIA growth rates by state (NERC region) and fuel type. The assumed growth rates for the Midwest States were: MAIN (IL, IA, MO, WI): 8.8% (2007-2018); ECAR (IN, KY, MI, OH): 13.5% (2007-2018); and MAPP (MN): 15.1% (2007-2018). No control was applied. The annual emissions were temporalized based on profiles derived from 2004-2006 CEM data. (Note, these are the same temporal profiles used in Round 5.1.)

Scenario B. Scenario A emissions for the LADCO States and select neighboring states (e.g., MN, IA, MO, KY, TN, and WV) were adjusted by applying legally enforceable controls (i.e., emission reductions required by a Consent Decree, state rule, or permit). Only those legally enforceable controls identified (and justified) by the States were applied. The States also supplied the appropriate control factors. A table summarizing the Scenario B controls is provided in Appendix I.

Scenario C. For the years 2009 and 2012, Scenario A emissions for all states were adjusted by applying all planned SO<sub>2</sub> and NO<sub>x</sub> controls based on the July 10 CAMD list (i.e., 90% reduction for scrubbers, 95% reduction for SCRs). Because the July 10 CAMD list only includes controls generally out to 2011, additional SO<sub>2</sub> and NO<sub>x</sub> controls for the year 2018 were assumed for all BART-eligible EGUs in the five LADCO State plus MN, IA, MO, KY, TN, and MO list (i.e., 90% reduction for scrubbers, 95% reduction for SCRs).<sup>1</sup> All Scenario B controls were included in Scenario C. A table summarizing the Scenario C controls is provided in Appendix II.

Table 1 and Figure 1 provide a summary of the 5-state regional NO<sub>x</sub> and SO<sub>2</sub> emissions for each scenario and future year. (Note, the CAIR emissions included here are based on EPA's IPM3.0 modeling.) Several comments on the emissions should be noted:

#### Summer NO<sub>x</sub>

- There is little difference between the three alternative scenarios and CAIR. This suggests that summer ozone concentrations for the alternative scenarios are likely to be similar to those predicted with CAIR (i.e., Round 5.1).

#### Annual NO<sub>x</sub>:

- There is a significant change in emissions between scenarios, mostly during the non-summer months.
- Scenario B reflects application of NO<sub>x</sub> controls in several states (e.g., IL, OH, WI).
- Because there are relatively few SCRs (in the LADCO States) on the CAMD list, Scenario C results in only a small emissions decrease compared to Scenario B.
- Assumed BART controls result in a significant emissions decrease.


#### Annual SO<sub>2</sub>

- There is a significant change in emissions between scenarios.
- Scenario B reflects application of SO<sub>2</sub> controls in several states (e.g., IL, OH, WI).
- Because there are several FGDs (in the LADCO States) on the CAMD list, Scenario C results in a large emissions decrease compared to Scenario B.
- Assumed BART controls result in a significant emissions decrease (i.e., even lower emissions than the IPM-estimated CAIR emissions).

---

<sup>1</sup> A subsequent analysis was conducted with the following inventory changes: (a) 95% reduction for scrubbers, 90% reduction for SCRs (consistent with EPA's default assumptions for IPM), and (b) revisions provided for a few plants in Indiana and Minnesota. The changes resulted in a relatively small difference in the regional NO<sub>x</sub> and SO<sub>2</sub> emissions (e.g., about a 2% NO<sub>x</sub> increase and about a 1-2% decrease in SO<sub>2</sub>). To assess the impact of the changes, PM2.5 modeling was conducted with the new Scenario B and Scenario C emissions for 2012. The modeling showed little change in the predicted PM2.5 concentrations.

**Figure 1. Regional NOx and SO2 Emissions**



**Table 1. Regional NOx and SO2 Emissions**

Summer NOx Emissions (TPD)															
	2005	2007	2009 A	2009 B	2009 C	2010 CAIR	2012 A	2012 B	2012 C	2012 CAIR	2018 A	2018 B	2018 C	2018 C-BART	2018 CAIR
IL	305	305	311	311	311	275	340	236	236	266	333	227	227	219	224
IN	393	393	376	376	374	384	393	393	390	368	410	386	383	292	264
MI	393	393	350	350	350	242	366	366	366	229	377	377	377	260	243
OH	408	408	395	355	335	285	423	351	351	290	431	366	366	230	290
WI	413	413	167	160	160	238	184	170	170	177	183	168	168	168	177
	1,912	1,912	1,599	1,552	1,530	1,424	1,706	1,516	1,513	1,330	1,734	1,524	1,521	1,169	1,198
Annual NOx Emissions (TPY)															
	2005	2007	2009 A	2009 B	2009 C	2010 CAIR	2012 A	2012 B	2012 C	2012 CAIR	2018 A	2018 B	2018 C	2018 C-BART	2018 CAIR
IL	126,786	121,006	124,917	124,917	124,917	83,224	137,438	81,989	81,989	82,248	135,983	79,771	79,771	63,590	69,958
IN	214,727	203,493	203,776	203,776	201,947	133,188	212,790	212,790	210,877	125,541	221,950	212,805	210,810	177,027	90,415
MI	120,332	112,484	112,478	112,478	112,478	83,117	117,621	117,621	117,621	77,897	122,447	122,447	122,447	89,444	79,543
OH	255,554	240,351	240,016	173,071	164,911	94,346	251,065	172,514	172,514	97,679	261,644	179,737	179,737	125,762	95,678
WI	71,414	54,582	56,540	54,065	54,065	53,032	62,266	57,759	57,759	56,480	61,812	56,952	56,952	56,952	56,158
	788,812	731,917	737,727	668,307	658,317	446,908	781,179	642,673	640,760	439,845	803,837	651,712	649,717	512,774	391,752
Annual SO2 Emissions (TPY)															
	2005	2007	2009 A	2009 B	2009 C	2010 CAIR	2012 A	2012 B	2012 C	2012 CAIR	2018 A	2018 B	2018 C	2018 C-BART	2018 CAIR
IL	326,598	273,467	281,028	281,028	281,028	295,516	309,209	196,238	194,746	267,110	305,364	106,638	105,152	82,351	275,716
IN	866,964	722,301	721,252	721,252	619,486	374,335	754,323	754,323	558,567	379,144	786,551	764,065	559,945	426,695	359,915
MI	350,694	343,487	343,140	343,140	315,326	227,296	358,879	358,879	301,062	233,204	373,964	373,964	313,677	178,680	242,853
OH	1,100,510	960,820	959,466	959,466	693,438	427,145	1,003,633	897,099	572,807	370,532	1,045,945	819,770	481,623	333,740	315,560
WI	181,426	137,562	142,007	142,007	133,738	139,181	156,659	144,818	133,592	139,203	155,818	144,027	132,849	77,214	127,073
	2,826,192	2,437,638	2,446,892	2,446,892	2,043,017	1,463,473	2,582,703	2,351,356	1,760,775	1,389,192	2,667,641	2,208,463	1,593,245	1,098,679	1,321,116

**Modeling Results:** Several tables summarizing the modeling results are provided:

Table 2 - future year ozone and PM2.5 concentrations for key monitors in the LADCO region

Table 3 - number of monitoring sites greater than the National Ambient Air Quality Standards (NNAQS)

Table 4 – visibility levels for Class I areas in the eastern U.S.

Note, given that Scenario B and BART controls were only applied in an 11-state Midwest region, the validity of the results for other Class I areas in the eastern U.S. may be questionable. The Scenario C controls, on the other hand, cover all states and are, thus, likely valid in other Class I areas.

Spatial plots of the future year ozone and PM2.5 concentrations are provided in Figures 2 – 4.

Based on these results, the following key findings should be noted:

Ozone

- There is little change from the previous LADCO modeling (Round 5.1 with CAIR)
- The modeling shows attainment of the 0.08 ppm (85 ppb) standard by 2009, except Holland. (Note, Holland does meet this standard by 2012.)
- The modeling shows nonattainment of the 0.075 ppm (75 ppb) standard through 2018.

PM2.5 - Annual

- There is a significant change from the previous LADCO modeling (Round 5.1 with CAIR)
- The modeling shows extensive nonattainment of the annual standard.

PM2.5 - Daily

- There is a significant change from the previous LADCO modeling (Round 5.1 with CAIR)
- The modeling shows extensive nonattainment of the daily standard.

Haze

- There is a significant change from the previous LADCO modeling (Round 5.1 with CAIR)
- The modeling shows higher visibility levels in 2018 for the 20% worst visibility days (average about 0.5 deciviews for the northern Class I areas). The resulting visibility levels in the northern Class I areas (except Voyageurs) are above the glide path.

**Table 2a. Ozone Modeling Results**

Site	Site ID	Base Year	2005			2009			Round 5 with CAIR	2012			2018			Round 5 with CAIR		
			Round 5 without CAIR			Round 5 without CAIR				Round 5 with CAIR			Round 5 without CAIR					
			Scen. A	Scen. B	Scen.C	Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C	Scen. A	Scen. B	Scen.C-BART			
<b>Lake Michigan Area</b>																		
Chiwaukee	550590019	84.7	82.2	82.2	82.0	82.3	81.1	80.8	80.6	80.9	77.2	77.2	77.0	76.0	76.2			
Racine	551010017	80.3	77.8	77.8	77.5	77.5	76.6	76.2	76.1	76.1	72.9	72.3	72.1	71.1	71.2			
Milwaukee-Bayside	550890085	82.7	79.9	79.9	79.7	79.8	78.5	78.0	78.0	78.0	74.3	73.6	73.4	72.4	72.7			
Harrington Beach	550890009	83.3	80.1	80.1	79.9	80.1	78.6	78.1	78.0	78.3	73.9	73.2	73.1	72.2	72.5			
Manitowoc	550710007	85.0	80.8	80.8	80.7	80.8	79.0	78.5	78.4	78.6	73.9	73.2	73.1	72.0	72.5			
Sheboygan	551170006	88.0	84.1	84.0	83.9	84.0	82.2	81.7	81.5	81.8	76.9	76.0	75.9	74.8	75.4			
Kewaunee	550610002	82.7	78.2	78.2	78.0	78.1	76.4	75.9	75.7	75.9	71.3	70.7	70.5	69.4	69.9			
Door County	550290004	88.7	84.1	84.1	83.9	83.9	82.0	81.4	81.3	81.5	76.5	75.6	75.5	74.2	74.7			
Hammond	180892008	77.7	76.2	76.2	76.0	75.4	75.6	75.3	75.2	74.6	73.2	72.7	72.6	71.7	71.6			
Whiting	180890030	79.3	77.8	77.8	77.7	77.0	77.2	76.9	76.8	76.2	74.8	74.3	74.2	73.2	73.1			
Michigan City	180910005	77.0	74.5	74.5	74.3	73.9	73.3	72.9	72.8	72.5	69.7	69.2	69.1	68.1	68.1			
Ogden Dunes	181270020	78.3	76.3	76.3	76.2	75.6	75.5	75.1	75.0	74.5	72.9	72.3	72.1	71.2	70.8			
Holland	260050003	90.0	85.7	85.7	85.5	85.3	83.5	83.1	82.9	82.8	78.2	77.5	77.3	76.0	76.1			
Jenison	261390005	82.0	76.8	76.8	76.7	76.0	75.1	74.6	74.5	74.5	70.2	69.6	69.5	67.9	68.7			
Muskegon	261210039	85.0	80.6	80.6	80.5	80.5	78.6	78.2	78.1	78.0	73.5	72.8	72.8	71.5	71.9			
<b>Indianapolis Area</b>																		
Noblesville	189571001	82.7	78.3	78.3	78.1	78.1	76.1	75.9	75.7	75.6	70.2	69.9	69.8	68.9	68.7			
Fortville	180590003	78.0	74.1	74.1	73.9	73.9	71.9	71.8	71.7	71.4	66.7	66.5	66.3	65.4	65.1			
Fort B. Harrison	180970050	78.7	75.4	75.3	75.2	75.1	73.8	73.6	73.6	73.2	70.6	70.3	70.2	69.3	69.1			
<b>Detroit Area</b>																		
New Haven	260990009	86.0	82.4	82.3	82.1	81.4	81.4	81.2	81.1	80.2	78.1	77.8	77.7	76.5	76.1			
Warren	260991003	84.0	82.4	82.3	82.2	81.3	82.1	81.8	81.7	80.7	79.7	79.4	79.3	78.0	77.6			
Port Huron	261470005	82.7	78.2	78.2	78.1	77.5	76.5	76.3	76.2	75.5	72.6	72.5	72.3	70.9	70.9			
<b>Cleveland Area</b>																		
Ashtabula	390071001	89.0	84.2	84.1	83.9	83.4	82.0	81.8	81.6	81.0	76.8	76.5	76.4	74.8	75.1			
Geauga	390550004	79.3	75.8	75.8	75.6	74.7	74.0	73.8	73.7	72.7	69.5	69.2	69.1	67.6	67.3			
Eastlake	390850003	86.3	83.1	83.1	82.9	81.9	81.8	81.6	81.5	80.5	78.2	78.0	77.8	76.5	76.2			
Akron	391530020	83.7	79.1	79.1	79.0	78.1	76.9	76.7	76.6	75.6	70.9	70.6	70.4	68.7	68.7			
<b>Cincinnati Area</b>																		
Wilmington	390271002	82.3	77.3	77.4	77.1	77.5	75.3	75.2	74.8	74.9	70.1	69.9	69.5	67.1	68.3			
Sycamore	390610006	84.7	81.5	81.4	81.1	81.9	80.4	80.2	79.8	80.3	76.4	76.0	75.7	73.5	74.6			
Lebanon	391650007	87.7	82.8	82.8	82.4	83.0	80.8	80.7	80.3	80.7	75.4	75.1	74.8	72.6	74.2			
<b>Columbus Area</b>																		
London	390970007	79.7	75.0	75.0	74.8	75.0	73.0	72.8	72.7	72.6	68.1	67.8	67.6	65.9	66.3			
New Albany	390490029	86.3	82.1	82.1	81.9	81.8	80.2	80.0	79.9	79.6	74.7	74.3	74.2	73.3	73.0			
Franklin	290490028	80.3	76.7	76.6	76.5	75.9	75.1	74.9	74.8	74.1	70.5	70.2	70.1	70.2	69.0			
<b>St. Louis Area</b>																		
W. Alton (MO)	291831002	86.3	81.1	81.2	81.1	81.0	80.0	79.9	79.9	78.6	76.9	76.8	76.7	74.2	74.9			
Orchard (MO)	291831004	87.0	82.1	82.1	82.0	82.0	80.9	80.8	80.7	80.0	77.7	77.6	77.4	75.2	76.2			
Sunset Hills (MO)	291890004	82.3	79.2	79.2	79.1	78.7	78.3	78.1	78.1	77.1	75.3	75.2	75.1	73.0	73.9			
Arnold (MO)	290990012	82.3	77.8	77.8	77.7	77.2	76.7	76.6	76.5	75.6	73.6	73.4	73.4	71.3	72.0			
Margareta (MO)	295100086	83.0	79.8	79.8	79.7	79.3	78.8	78.7	78.6	77.9	75.7	75.6	75.5	73.7	74.4			
Maryland Heights (MO)	291890014	87.3	85.4	85.4	85.3	84.0	84.3	84.1	84.0	81.7	81.1	80.9	80.8	78.4	78.1			

**Table 2b. PM<sub>2.5</sub> Modeling Results (Annual)**

Site	Site ID	Base Year	2005			2009			2012			2018			Round 5 with CAIR	
			Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR			Scen.C-BART		
			Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C			
<b>Illinois</b>																
Chicago - Washington HS	170310022	15.2	14.9	14.8	14.5	14.1	14.8	14.7	14.2	14.0	15.0	14.6	14.2	13.7	13.9	
Chicago - Mayfair	170310052	15.8	15.1	15.1	14.8	14.4	15.1	14.9	14.5	14.2	15.1	14.7	14.3	13.7	13.9	
Chicago - Springfield	170310057	15.0	14.6	14.6	14.3	13.9	14.6	14.4	14.0	13.8	14.8	14.4	14.0	13.4	13.7	
Chicago - Lawndale	170310076	14.9	14.5	14.5	14.2	13.8	14.5	14.3	13.9	13.7	14.7	14.3	13.9	13.3	13.6	
Blue Island	170312001	14.8	14.4	14.4	14.0	13.7	14.4	14.2	13.8	13.6	14.5	14.1	13.7	13.2	13.4	
Summit	170313301	15.2	14.9	14.9	14.6	14.2	14.9	14.7	14.3	14.0	15.0	14.6	14.3	13.7	13.9	
Cicero	170316005	15.5	15.1	15.1	14.8	14.4	15.1	14.9	14.5	14.3	15.2	14.9	14.4	13.9	14.2	
Granite City	171191007	16.7	16.3	16.2	15.9	15.1	16.1	16.0	15.3	14.9	15.9	15.6	14.9	14.2	14.3	
E. St. Louis	171630010	15.6	15.2	15.2	14.8	14.1	15.0	14.9	14.3	13.9	14.9	14.6	14.0	13.3	13.4	
<b>Indiana</b>																
Jeffersonville	180190005	16.4	15.8	15.7	14.8	13.8	15.8	15.6	14.5	13.7	16.0	15.5	14.3	13.7	13.4	
Jasper	180372001	15.2	14.3	14.2	13.4	12.4	14.2	14.0	13.0	12.2	14.3	13.9	12.8	12.1	11.8	
Gary	180890031	15.6	13.9	13.9	13.5	13.0	13.8	13.6	13.1	12.8	13.7	13.4	12.9	12.3	12.4	
Indy-Washington Park	180970078	15.3	14.4	14.4	13.6	12.8	14.3	14.2	13.2	12.6	14.3	13.9	12.9	12.2	12.0	
Indy-W 18th Street	180970081	16.0	15.1	15.1	14.3		15.0	14.9	13.9		15.0	14.6	13.5	12.8		
Indy- Michigan Street	180970083	15.9	15.0	15.0	14.2	13.4	14.9	14.8	13.8	13.1	14.9	14.5	13.5	12.8	12.6	
<b>Michigan</b>																
Allen Park	261630001	14.5	11.0	14.0	13.5	13.0	14.0	13.8	13.2	12.8	13.9	13.6	13.0	12.4	12.4	
Southwest HS	261630015	15.9	15.3	15.3	14.8	14.2	15.2	15.0	14.4	13.9	15.1	14.8	14.1	13.5	13.5	
Linwood	261630016	14.6	14.1	14.1	13.6	13.1	14.0	13.9	13.3	12.8	13.9	13.6	13.0	12.5	12.5	
Dearborn	261630033	17.5	17.0	17.0	16.4	15.8	16.9	16.7	16.0	15.5	16.8	16.4	15.7	15.1	15.1	
Wyandotte	261630036	14.7	14.2	14.1	13.6	13.1	14.1	13.9	13.3	12.8	14.0	13.7	13.0	12.4	12.5	
<b>Ohio</b>																
Middletown - Bonita	390170003	16.2	15.3	15.2	14.3	13.5	15.2	15.0	13.9	13.2	15.2	14.8	13.7	13.0	12.8	
Fairfield	390170016	15.8	15.1	15.0	14.1	13.1	15.1	14.9	13.7	12.9	15.2	14.7	13.5	12.8	12.5	
Cleveland-28th Street	390350027	15.4	14.9	14.9	14.3	13.5	14.7	14.5	13.9	13.2	14.6	14.2	13.5	12.8	12.7	
Cleveland-St. Tikhon	390350038	17.4	16.7	16.7	16.0	15.2	16.5	16.3	15.6	14.8	16.3	16.0	15.2	14.4	14.3	
Cleveland-Broadway	390350045	16.5	15.9	15.8	15.2	14.4	15.6	15.5	14.8	14.0	15.5	15.1	14.4	13.6	13.5	
Cleveland-GT Craig	390350060	17.1	16.5	16.4	15.8	15.0	16.3	16.1	15.4	14.6	16.1	15.7	15.0	14.2	14.1	
Newburg Hts - Harvard Ave	390350065	16.0	15.4	15.3	14.7	14.0	15.2	15.0	14.3	13.6	15.1	14.7	14.0	13.2	13.1	
Columbus - Fairgrounds	390490024	15.3	14.6	14.5	13.7	12.9	14.4	14.1	13.2	12.6	14.2	13.8	12.8	12.2	12.0	
Columbus - Ann Street	390490025	15.1	14.4	14.3	13.5	12.7	14.2	13.9	13.1	12.4	14.1	13.6	12.6	12.0	11.9	
Cincinnati - Seymour	390610014	17.3	16.6	16.5	15.5	14.5	16.5	16.3	15.1	14.3	16.6	16.2	14.9	14.2	13.8	
Cincinnati - Taft Ave	390610040	15.5	14.8	14.7	13.8	12.8	14.8	14.6	13.4	12.6	14.9	14.5	13.2	12.5	12.2	
Cincinnati - 8th Ave	390610042	16.9	12.0	16.1	15.0	14.0	16.1	15.9	14.7	13.8	16.2	15.7	14.4	13.7	13.4	
Sharonville	390610043	15.6	14.9	14.8	13.9	12.9	14.9	14.7	13.5	12.7	14.9	14.5	13.3	12.6	12.3	
Norwood	390617001	16.2	15.5	15.4	14.4	13.4	15.4	15.2	14.0	13.2	15.5	15.1	13.8	13.1	12.8	
St. Bernard	390618001	17.6	16.8	16.7	15.7	14.7	16.7	16.5	15.3	14.4	16.8	16.4	15.1	14.3	14.0	
Steubenville	390810016	15.8	14.5	14.4	13.5	12.8	14.3	14.2	13.1	12.5	14.8	14.5	13.3	12.9	12.7	
Mingo Junction	390811001	16.5	15.2	15.2	14.3	13.5	15.0	14.9	13.8	13.2	15.6	15.2	14.0	13.6	13.4	
Ironton	390870010	15.2	14.8	14.6	13.6	12.8	14.6	14.4	13.2	12.5	14.8	14.1	12.8	12.4	12.3	
Dayton	391130032	15.5	14.9	14.8	14.0	13.2	14.8	14.6	13.6	12.9	14.8	14.3	13.3	12.6	12.4	
New Boston	391450013	14.7	12.0	14.0	13.0	12.1	14.1	13.8	12.5	11.9	14.2	13.6	12.2	11.7	11.6	
Canton - Dueber	391510017	16.3	15.7	15.6	14.8	14.0	15.5	15.3	14.4	13.6	15.4	14.9	14.0	13.3	13.3	
Canton - Market	391510020	14.6	11.0	14.1	13.3	12.6	13.9	13.7	12.9	12.3	13.9	13.5	12.6	12.0	11.9	
Akron - Brittain	391530017	15.1	14.6	14.5	13.8	13.0	14.4	14.2	13.4	12.7	14.3	13.8	13.0	12.3	12.3	
Akron - W. Exchange	391530023	14.3	13.7	13.7	13.0	12.3	13.6	13.3	12.6	12.0	13.4	13.0	12.2	11.6	11.5	

**Table 2c. PM<sub>2.5</sub> Modeling Results (Daily)**

Key Site	County	Site ID	Base Year	2005			2009			2012			2018				Round 5 with CAIR
				Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR					
				Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C	Scen. C - BART	Scen. C - BART	
<b>Illinois</b>																	
Chicago - Washington HS	Cook	170310022	36.6	36	36	36	36	36	36	37	36	37	36	37	37	35	
Chicago - Mayfair	Cook	170310052	40.3	37	37	37	36	37	36	37	36	38	37	37	37	36	
Chicago - Springfield	Cook	170310057	37.4	34	34	33	32	35	34	33	32	36	34	33	33	31	
Chicago - Lawndale	Cook	170310076	38.1	35	35	35	35	36	35	36	35	36	35	36	36	34	
McCook	Cook	170311016	43.0	39	39	39	39	40	39	40	39	40	40	41	40	38	
Blue Island	Cook	170312001	37.7	35	35	35	34	36	35	36	34	36	35	36	36	33	
Schiller Park	Cook	170313103	41.6	40	40	40	39	40	40	40	39	41	40	40	39	39	
Summit	Cook	170313301	40.2	38	38	39	38	39	38	39	38	39	38	39	39	37	
Maywood	Cook	170316005	39.2	38	38	38	38	38	38	39	38	39	38	39	39	37	
Granite City	Madison	171191007	39.2	36	36	35	33	36	35	34	33	36	35	35	33	32	
E. St. Louis	St. Clair	171630010	33.7	31	31	30	28	31	30	29	28	31	30	30	29	28	
<b>Indiana</b>																	
Jeffersonville	Clark	180190005	38.4	35	33	31	29	35	34	32	31	37	35	34	33	31	
Jasper	Dubois	180372001	36.2	32	32	30	28	32	32	30	29	33	31	31	30	28	
Gary - IITRI	Lake	180890022	39.0	35	35	35	34	35	34	35	34	36	36	36	35	35	
Gary - Burr School	Lake	180890026	39.0	34	34	34	33	34	34	35	34	34	34	34	34	32	
Gary	Lake	180890031	35.2	29	28	26	24	28	28	24	24	29	28	27	27	27	
Indy-West Street	Marion	180970043	38.0	34	34	33	33	35	35	34	33	36	35	34	34	33	
Indy-English Avenue	Marion	180970066	38.0	34	34	32	32	35	34	33	32	35	34	33	33	32	
Indy-Washington Park	Marion	180970078	36.6	33	33	32	31	33	33	32	31	34	33	32	32	32	
Indy-W 18th Street	Marion	180970081	38.3	33	33	31	31	33	33	32	31	34	33	32	32	31	
Indy-Michigan Street	Marion	180970083	36.0	32	32	29	28	32	31	29	28	32	31	29	29	29	
<b>Michigan</b>																	
Luna Pier	Monroe	261150005	38.9	34	34	32	32	34	34	32	32	34	33	32	31	31	
Oak Park	Oakland	261250001	39.9	38	38	37	36	38	37	37	36	38	37	37	36	35	
Port Huron	St. Clair	261470005	39.6	36	35	35	34	35	35	35	34	35	35	34	33	33	
Ypsilanti	Washtenaw	261610008	39.5	37	37	36	35	37	36	36	35	37	36	36	35	34	
Allen Park	Wayne	261630001	38.6	36	36	36	35	36	35	35	34	36	35	35	34	33	
Southwest HS	Wayne	261630015	40.1	36	36	36	35	36	35	35	35	36	35	35	34	33	
Linwood	Wayne	261630016	43.0	40	40	40	39	40	40	40	39	40	39	39	39	38	
E 7 Mile	Wayne	261630019	41.0	39	39	39	38	39	39	39	38	39	38	38	38	37	
Dearborn	Wayne	261630033	43.9	41	41	41	40	41	41	41	40	41	40	40	40	39	
Wyandotte	Wayne	261630036	37.2	36	36	36	35	35	35	35	35	35	35	35	35	34	
Newberry	Wayne	261630038	42.7	39	39	39	38	39	38	38	37	39	38	38	37	36	
FIA	Wayne	261630039	39.7	35	34	34	33	35	34	34	33	35	34	33	33	31	
<b>Ohio</b>																	
Middleton	Butler	390170003	39.3	33	32	29	28	33	33	29	28	34	32	29	28	27	
Fairfield	Butler	390170016	37.1	32	31	29	27	31	30	28	28	32	30	29	28	27	
	Butler	390170017	40.8	33	32	30	29	33	33	30	29	33	32	30	29	28	
Cleveland-28th Street	Cuyahoga	390350027	36.9	34	34	33	32	34	33	33	32	34	33	33	31	31	
Cleveland-St. Tikhon	Cuyahoga	390350038	44.2	40	40	37	36	40	39	36	35	40	38	36	35	34	
Cleveland-Broadway	Cuyahoga	390350045	38.8	35	35	33	31	35	34	32	30	35	34	31	29	29	
Cleveland-GT Craig	Cuyahoga	390350060	42.1	39	39	38	37	39	38	38	37	39	38	37	36	35	
Newburg Hts - Harvard Ave	Cuyahoga	390350065	38.9	35	35	33	31	35	34	32	30	36	35	32	31	30	
Columbus - Fairgrounds	Franklin	390490024	38.5	34	34	33	33	34	33	32	32	34	34	33	32	31	
Columbus - Ann Street	Franklin	390490025	38.5	34	33	31	31	33	33	31	31	34	33	31	31	30	
Cincinnat	Hamilton	390610006	40.6	33	33	30	27	33	32	29	28	34	32	29	28	27	

**Table 2c. PM<sub>2.5</sub> Modeling Results (Daily)**

Key Site	County	Site ID	Base Year	2005			2009			2012			2018				Round 5 with CAIR
				Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR			Round 5 with CAIR	Round 5 without CAIR					
				Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C		Scen. A	Scen. B	Scen.C	Scen. C - BART	Scen. C - BART	
Cincinnati - Seymour	Hamilton	390610014	38.4	33	33	28	26	33	32	27	25	33	31	29	25	24	
Cincinnati - Taft Ave	Hamilton	390610040	36.7	31	30	26	24	31	30	26	24	32	29	26	24	23	
Cincinnati - 8th Ave	Hamilton	390610042	37.3	32	32	30	28	32	31	29	28	33	31	29	28	27	
Sharonville	Hamilton	390610043	36.0	32	31	30	28	32	31	29	28	32	31	29	28	27	
Norwood	Hamilton	390617001	38.8	34	33	32	30	33	33	31	30	34	33	31	30	29	
St. Bernard	Hamilton	390618001	40.6	35	35	32	30	35	34	31	30	35	33	32	31	29	
Steubenville	Jefferson	390810016	40.7	36	35	32	29	35	34	30	28	37	35	31	29	28	
Mingo Junction	Jefferson	390811001	42.0	37	37	33	30	37	36	32	30	38	36	32	30	30	
Dayton	Montgomery	391130032	37.8	34	33	31	30	33	33	31	30	34	33	31	31	30	
Canton - Dueber	Stark	391510017	38.6	33	32	30	28	33	31	30	28	33	30	29	28	27	
Akron - Brittain	Summit	391530017	38.1	33	33	31	30	33	32	31	30	33	32	30	29	29	
<b>Wisconsin</b>																	
Green Bay - Est High	Brown	550090005	37.1	35	34	35	35	34	35	35	34	33	33	33	32	32	
Madison	Dane	550250047	36.4	33	33	32	32	33	32	32	31	32	31	30	29	29	
Milwaukee-Health Center	Milwaukee	550790010	38.7	35	35	35	35	35	35	35	34	35	34	34	34	33	
Milwaukee-SER Hdqs	Milwaukee	550790026	37.4	34	34	34	34	34	34	34	34	34	34	34	34	33	
Milwaukee-Virginia FS	Milwaukee	550790043	39.9	37	37	37	36	37	36	37	36	36	36	36	37	36	
Milwaukee- Fire Dept Hdqs	Milwaukee	550790099	37.8	34	34	33	33	34	33	33	32	34	33	33	33	32	
Waukesha	Waukesha	551330027	35.5	32	32	32	31	32	32	32	31	32	31	31	30	29	

**Table 3. Modeling Results: Number of Sites > NAAQS**

Ozone (85 ppb)		Round 5 without CAIR				Round 5 w/ CAIR
2009	Baseyear	Scen. A	Scen. B	Scen. C	Scen. C-BART	
IL	0	0	0	0	---	0
IN	0	0	0	0	---	0
MI	3	1	1	1	---	1
OH	4	0	0	0	---	0
WI	2	0	0	0	---	0
<b>Total</b>	<b>9</b>	<b>1</b>	<b>1</b>	<b>1</b>		<b>1</b>
<hr/>						
<b>2012</b>						
IL	0	0	0	0	---	0
IN	0	0	0	0	---	0
MI	3	0	0	0	---	0
OH	4	0	0	0	---	0
WI	2	0	0	0	---	0
<b>Total</b>	<b>9</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>
<hr/>						
<b>2018</b>						
IL	0	0	0	0	0	0
IN	0	0	0	0	0	0
MI	3	0	0	0	0	0
OH	4	0	0	0	0	0
WI	2	0	0	0	0	0
<b>Total</b>	<b>9</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>
<hr/>						
Ozone (75 ppb)		Round 5 without CAIR				Round5 w/ CAIR
2009	Baseyear	Scen. A	Scen. B	Scen. C	Scen. C-BART	
IL	12	6	6	6	---	4
IN	26	10	9	8	---	5
MI	21	12	12	12	---	12
OH	45	27	25	24	---	21
WI	12	10	10	10	---	10
<b>Total</b>	<b>116</b>	<b>65</b>	<b>62</b>	<b>60</b>		<b>52</b>
<hr/>						
<b>2012</b>						
IL	12	3	3	3	---	1
IN	26	5	4	4	---	3
MI	21	9	8	8	---	6
OH	45	18	14	12	---	11
WI	12	10	9	9	---	9
<b>Total</b>	<b>116</b>	<b>45</b>	<b>38</b>	<b>36</b>		<b>30</b>
<hr/>						
<b>2018</b>						
IL	12	0	0	0	0	0
IN	26	0	0	0	0	0
MI	21	3	3	3	3	3
OH	45	3	3	2	1	1
WI	12	3	2	1	1	1
<b>Total</b>	<b>116</b>	<b>9</b>	<b>8</b>	<b>6</b>	<b>5</b>	<b>5</b>


PM2.5 - Annual		Round 5 without CAIR				Round 5 w/ CAIR
2009	Baseyear	Scen. A	Scen. B	Scen. C	Scen. C-BART	
IL	7	4	4	1	---	1
IN	6	2	2	0	---	0
MI	2	2	2	1	---	1
OH	26	13	12	5	---	1
WI	0	0	0	0	---	0
<b>Total</b>	<b>41</b>	<b>21</b>	<b>20</b>	<b>7</b>		<b>3</b>
<b>2012</b>						
IL	7	3	1	1	---	0
IN	6	1	1	0	---	0
MI	2	2	1	1	---	1
OH	26	12	9	4	---	0
WI	0	0	0	0	---	0
<b>Total</b>	<b>41</b>	<b>18</b>	<b>12</b>	<b>6</b>		<b>1</b>
<b>2018</b>						
IL	7	3	1	0	0	0
IN	6	1	1	0	0	0
MI	2	2	1	1	1	1
OH	26	13	8	2	0	0
WI	0	0	0	0	0	0
<b>Total</b>	<b>41</b>	<b>19</b>	<b>11</b>	<b>3</b>	<b>1</b>	<b>1</b>
<b>PM2.5 - Daily</b>						
2009		Round 5 without CAIR				Round 5 w/ CAIR
2009	Baseyear	Scen. A	Scen. B	Scen. C	Scen. C-BART	
IL	16	7	7	6	---	6
IN	13	0	0	0	---	0
MI	14	10	9	9	---	5
OH	31	4	3	2	---	2
WI	8	1	1	1	---	1
<b>Total</b>	<b>82</b>	<b>22</b>	<b>20</b>	<b>18</b>	---	<b>14</b>
<b>2012</b>						
IL	16	9	6	8	---	6
IN	13	0	0	0	---	0
MI	14	8	6	6	---	5
OH	31	3	3	2	---	1
WI	8	1	1	1	---	1
<b>Total</b>	<b>82</b>	<b>21</b>	<b>16</b>	<b>17</b>		<b>13</b>
<b>2018</b>						
IL	16	10	6	8	8	5
IN	13	4	1	1	0	0
MI	14	8	6	6	5	4
OH	31	5	3	2	1	0
WI	8	1	1	1	1	1
<b>Total</b>	<b>82</b>	<b>28</b>	<b>17</b>	<b>18</b>	<b>15</b>	<b>10</b>

**Table 4. Modeling Results: Future Year Visibility Levels**


Worst 20%		2018				
		Round 5 without CAIR				Round 5 w/ CAIR
Site	Baseline (2000-2004)	2018 URP	Scen. A	Scen. B	Scen. C	Scen. C-BART
BOWA1	19.86	17.94	19.09	18.87	18.54	18.02
VOYA2	19.48	17.75	18.60	18.44	18.17	17.77
SENE1	24.38	21.64	24.02	23.58	23.03	22.38
ISLE1	21.59	19.43	21.05	20.86	20.62	20.22
ISLE9	21.59	19.43	20.83	20.58	20.38	19.84
HEGL1	26.75	23.13	26.24	25.83	24.87	24.23
MING1	28.15	24.27	27.51	26.98	25.81	24.93
CACR1	26.36	22.91	25.32	24.80	23.57	22.97
UPBU1	26.27	22.82	25.31	24.79	23.50	22.79
MACA1	31.37	26.64	30.11	29.08	27.06	26.24
DOSO1	29.05	24.69	27.88	26.96	24.36	23.74
SHEN1	29.31	25.12	28.38	27.65	25.24	24.69
JARI1	29.12	24.91	28.06	27.21	25.00	24.48
BRIG1	29.01	25.05	28.10	28.07	26.57	26.25
LYBR1	24.45	21.48	24.06	23.86	22.58	22.30
ACAD1	22.89	20.45	22.88	22.76	22.31	22.16
Best 20%		2018				
		Round 5 without CAIR				Round 5 w/ CAIR
Site	Baseline (2000-2004)	2018 Max	Scen. A	Scen. B	Scen. C	Scen. C-BART
BOWA1	6.42	6.42	6.20	6.17	6.16	6.12
VOYA2	7.09	7.09	6.87	6.83	6.81	6.78
SENE1	7.14	7.14	7.80	7.78	7.81	7.77
ISLE1	6.75	6.75	6.77	6.76	6.72	6.67
ISLE9	6.75	6.75	6.63	6.61	6.58	6.53
HEGL1	12.84	12.84	12.17	12.20	12.07	11.63
MING1	14.46	14.46	13.78	13.77	13.70	13.37
CACR1	11.24	11.24	10.94	10.99	10.97	10.78
UPBU1	11.71	11.71	11.18	11.23	11.18	10.96
MACA1	16.51	16.51	16.32	16.21	15.76	15.34
DOSO1	12.28	12.28	12.02	11.84	11.27	11.03
SHEN1	10.93	10.93	10.98	10.91	10.25	10.16
JARI1	14.21	14.21	14.19	13.98	13.42	13.21
BRIG1	14.33	14.33	14.32	14.46	14.22	14.17
LYBR1	6.37	6.37	6.39	6.38	6.31	6.28
ACAD1	8.78	8.78	8.97	8.96	8.90	8.89

**Figure 2. Ozone Modeling Results**


**2009 Round 5 – Scen. A**




**Round 5 – Scen. B**




**Round 5 – Scen. C**




**Round 5 - CAIR**




**2012 Round 5 – Scen. A**




**Round 5 – Scen. B**




**Round 5 – Scen. C**




**Round 5 - CAIR**




**2018 Round 5 – Scen. A**




**Round 5 – Scen. B**




**Round 5 – Scen. C**




**Round 5 - CAIR**



**Figure 3. PM2.5 Annual Modeling Results**  
Round 5 – Scen. A      Round 5 – Scen. B      Round 5 – Scen. C



**Figure 4. PM2.5 Daily Modeling Results**  
Round 5 – Scen. A      Round 5 – Scen. B      Round 5 – Scen. C



## Appendix I

### Scenario B (Legally Enforceable) Controls

**NOx - 2009**

Point Source Grown and Controlled Emissions by facility for NOX r6s1b\_2009

Base Year = 2002

Future Year = 2009

STID=17 CYID=57 fcid=057801AAA name=AES DUCK CREEK

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	57	057801AAA	0001	0001	01	10100202	NOX	0.8147	0.8416	0.8416	0.00	0.00	SCR	SCR added by LADCO	

STID=17 CYID=143 fcid=143805AAG name=AES ED EDWARDS STATION

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	143	143805AAG	0001	0001	01	10100202	NOX	3.0515	3.1522	3.1522	0.00	0.00	lnb	LNB added by LADCO	
17	143	143805AAG	0001	0003	01	10100202	NOX	6.9419	7.1708	7.1708	0.00	0.00	lnb	LNB added by LADCO	
17	143	143805AAG	0002	0004	01	10100202	NOX	2.1310	2.2013	2.2013	0.00	0.00	lnb	LNB added by LADCO	

fcid	12.1244	12.5243	12.5243
cyid	12.1244	12.5243	12.5243
stid	12.9392	13.3659	13.3659

STID=39 CYID=1 fcid=0701000007 name="DP&amp;L, J.M. STUART GENERATING STATION"

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
39	1	0701000007	R1	B001	B001P1	10100202	NOX	6.9860	6.9756	2.3252	0.85	0.95	SCR	SCR added by LADCO	
39	1	0701000007	R2	B002	B002P1	10100202	NOX	3.6327	3.6273	1.2091	0.85	0.95	SCR	SCR added by LADCO	
39	1	0701000007	R3	B003	B003P1	10100202	NOX	5.0133	5.0058	1.6686	0.85	0.95	SCR	SCR added by LADCO	
39	1	0701000007	R4	B004	B004P1	10100202	NOX	7.8493	7.8376	2.6125	0.85	0.95	SCR	SCR added by LADCO	

fcid	23.4814	23.4464	7.8155
cyid	23.4814	23.4464	7.8155

STID=39 CYID=167 fcid=0684000000 name=MUSKINGUM RIVER POWER PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
39	167	0684000000	R1	B001	B001P1	10200501	NOX	0.0017	0.0017	0.0001	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R2	B002	B002P1	10100201	NOX	5.8167	5.8080	0.2904	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R2	B002	B002P2	10100501	NOX	0.0000	0.0000	0.0000	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R3	B003	B003P1	10100201	NOX	7.9017	7.8899	0.3945	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R3	B003	B003P2	10100501	NOX	0.0000	0.0000	0.0000	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R4	B004	B004P1	10100203	NOX	7.8775	7.8657	0.3933	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R4	B004	B004P2	10100501	NOX	0.0000	0.0000	0.0000	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R6	B006	B006P1	10100202	NOX	3.8586	3.8528	0.1926	0.00	0.95	SCR	SCR added by LADCO	
39	167	0684000000	R6	B006	B006P2	10100501	NOX	0.0000	0.0000	0.0000	0.00	0.95	SCR	SCR added by LADCO	

fcid	25.4561	25.4182	1.2709
cyid	25.4561	25.4182	1.2709
stid	49.9375	48.8646	9.0864

STID=55 CYID=79 fcid=241007800 name=WIS ELECTRIC POWER VALLEY STATION

Base Yr	Grown	Controlled	Base Year	Future Year
---------	-------	------------	-----------	-------------

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
55	79	241007800	S11	B21	01	10100202	NOX	2.7972	2.8895	1.6470	0.00	0.43	SCR	SCR added by LADCO
55	79	241007800	S11	B22	01	10100202	NOX	2.9073	3.0032	1.7118	0.00	0.43	SCR	SCR added by LADCO
55	79	241007800	S12	B23	01	10100202	NOX	2.3270	2.4038	1.2740	0.00	0.47	SCR	SCR added by LADCO
55	79	241007800	S12	B24	01	10100202	NOX	2.3427	2.4199	1.2826	0.00	0.47	SCR	Scrubber added by LADCO
---														
fcid						10.3742	10.7164	5.9154						
cyid						10.3742	10.7164	5.9154						

STID=55 CYID=117 fcid=460033090 name=WP & L Alliant Energy - Edgewater Gen Station

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr	Grown	Controlled	Base Year	Future Year	ctrltype	ctrldes
55	117	460033090	S11	B23	01	10100203	NOX	1.6197	1.6731	1.0038	0.00	0.40	SCR	SCR added by LADCO
55	117	460033090	S11	B24	01	10100203	NOX	4.1072	4.2426	3.4789	0.00	0.18	SCR	SCR added by LADCO
55	117	460033090	S12	B25	01	10100221	NOX	5.6804	5.8677	4.9876	0.00	0.15	SCR	SCR added by LADCO
---														
fcid						11.4072	11.7834	9.4703						
cyid						11.4072	11.7834	9.4703						
stid						21.7814	22.4997	15.3857						
=====	=====	=====	=====	=====	=====									
						83.6581	84.7302	37.8380						

NOx - 2012

Point Source Grown and Controlled Emissions by facility for NOX r6s1b\_2012

Base Year = 2002

Future Year = 2012

STID=17 CYID=33 fcid=033801AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base	Yr	Grown	Controlled	Base	Year	Future	Year		
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control	EF	Control	EF	ctrlype
17	33	033801AAA		0005	0005	01	10100202	NOX	1.642	1.871	0.9357	0.00	0.500	SCR	SCR added by LADCO
17	33	033801AAA		0006	0006	01	10100202	NOX	2.116	2.413	1.2063	0.00	0.500	SCR	SCR added by LADCO
<hr/>															
fcid								3.758	4.284	2.1420					
cyid								3.758	4.284	2.1420					

STID=17 CYID=57 fcid=057801AAA name=AES DUCK CREEK

Base Yr Grown Controlled Base Year Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrldes
17	57	057801AAA	0001	0001	01	10100202	NOX	0.815	0.929	0.9288	0.00	0.000	SCR	SCR added by LADCO

STID=17 CYID=79 fcid=079808AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvld	prid	Base Yr		Grown	Controlled	Base Year	Future Year			
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrlrdes
17	79	079808AAA	0003	0003	01	10100202	NOX	6.735	7.678	7.6780	0.00	0.000	SCR	SCR added by LADCO
17	79	079808AAA	0012	0013	01	10100501	NOX	5.936	5.378	5.3781	0.00	0.000	SCR	SCR added by LADCO
<hr/>						12.671	13.056	13.0561						
<hr/>						12.671	13.056	13.0561						

STID=17 CYID=97 fcid=097190AAC name=MIDWEST GENERATION LLC

STID CYID fcid stkid dvid prid scc polid Base Yr Grown Controlled Base Year Future Year  
 STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrltype ctrldes  
 17 97 097190AAC 0016 0031 02 10100401 NOX 0.000 0.000 0.0000 0.00 0.999 SHUTDOWN SCR added by LADCO

STID=17 CYID=137 fcid=137805AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Controlled Year			Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes	
17	137	137805AAA	0003	0003	01	10100202	NOX	5.356	6.106	6.1058	0.00	0.000	LNB	LNB added by LADCC	

STID=17 CYID=143 fcid=143805AAG name=AES ED EDWARDS STATION

STID	CYID	fcid	stkid	dvld	prid	Base Yr scc	Grown polid	Controlled Tons/Day	Base Year Tons/Day	Future Year Tons/Day	Control EF	Control EF	ctrlype	ctrlrdes
17	143	143805AAG	0001	0001	01	10100202	NOX	3.052	3.479	3.4789	0.00	0.000	lnb	LNB added by LADCO
17	143	143805AAG	0001	0003	01	10100202	NOX	6.942	7.914	7.9141	0.00	0.000	lnb	LNB added by LADCO
17	143	143805AAG	0002	0004	01	10100202	NOX	2.131	2.429	2.4294	0.00	0.000	lnb	LNB added by LADCO
<hr/>						<hr/>						<hr/>		
fcid						12.124    13.822    13.8224								
cyid						12.124    13.822    13.8224								

STID=17 CYID=167 fcid=167120AAO name=CITY WATER LIGHT & POWER

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year			
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	167	167120AAO	0010	0012	01	10100203	NOX	6.527	7.441	0.0074	0.00	0.999	SHUTDOWN	SHUTDOWN added by LADCO
17	167	167120AAO	0010	0013	01	10100203	NOX	2.646	3.017	0.0030	0.00	0.999	SHUTDOWN	SHUTDOWN added by LADCO
						fcid		9.173	10.458	0.0105				
						cyid		9.173	10.458	0.0105				

STID=17 CYID=179 fcid=179801AAA name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvrid	prid	Base Yr		Grown	Controlled	Base Year	Future Year			
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrldes
17	179	179801AAA	0018	0029	01	10100203	NOX	22.429	25.570	1.2785	0.00	0.950	SCR	SCR added by LADCC
17	179	179801AAA	0018	0031	01	10100203	NOX	38.993	44.454	2.2227	0.00	0.950	SCR	SCR added by LADCC
<hr/>						61.422	70.024	3.5012						
<hr/>						61.422	70.024	3.5012						

STID=17 CYID=197 fcid=197809 AAO name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	ctrltype	ctrldes	
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF			
17	197	197809AAO	0032	0033	02	10100604	NOX	0.000	0.000	0.0000	0.00	0.800	SCR	SCR added by LADCC

STID=17 CYID=197 fcid=197810AAK name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base	Yr	Grown	Controlled	Base	Year	Future	Year	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control	EF	Control	EF	
17	197	197810AAK	0011	0016	02	10100222	NOX	5.731	6.534	3.9203	0.00	0.400	SCR	SCR added by LADCO	
17	197	197810AAK	0011	0016	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.400	SCR	SCR added by LADCO	
17	197	197810AAK	0013	0010	02	10100223	NOX	8.598	9.802	0.0098	0.00	0.999	SHUTDOWN	SCR added by LADCO	
17	197	197810AAK	0013	0010	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.999	SHUTDOWN	SCR added by LADCO	
17	197	197810AAK	0007	0012	02	10100223	NOX	10.974	12.511	0.0125	0.00	0.999	SHUTDOWN	SCR added by LADCO	
17	197	197810AAK	0007	0012	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.999	SHUTDOWN	SCR added by LADCO	
<hr/>						<hr/>									
fcid						25.303	28.847	3.9426							
cyid						25.303	28.847	3.9426							
stid						130.622	147.527	43.5096							

STID=27 CYID=61 fcid=2706100004 name=Minnesota Power Inc - Boswell Energy Ctr

STID=27 CYID=61 fcid=2706100004 name=Minnesota Power Inc - Boswell Energy Ctr

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year		Controlled Tons/Day	Base Year Tons/Day	Future Year Tons/Day	Control EF	Control EF	ctrltype	ctrldes
								Grown	Controlled							
27	61	2706100004	SV003	EU003	001		10100226	NOX	13.661	14.142	2.8284	0.00	0.800	SCR	SCR added by LADCO	
27	61	2706100004	SV003	EU003	002		10100501	NOX	0.000	0.000	0.0000	0.00	0.800	SCR	SCR added by LADCO	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
fcid								13.661	14.142	2.8284						
cvid								13.661	14.142	2.8284						

STID-27 CXID-109 fcid-2710900011 name=Rochester Public Utilities\_Silver Lake

STID=27 CYID=109 fcid=2710900011 name=Rochester Public Utilities - Silver Lake

	Base	Yr	Grown	Controlled	Base	Year	Future	Year								
STID	CYID	fcid	stkid	dvrid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control	EE	Control	EE	ctrlype	ctrlde

27 109 2710900011 SV003 EU004 001 10100202 NOX 2.079 2.152 1.2911 0.00 0.400 SNCR SCR added by LADCO

-----  
stid 15.739 16.294 4.1195

STID=39 CYID=1 fcid=0701000007 name="DP&L, J.M. STUART GENERATING STATION"

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
39	1	0701000007	R1	B001	B001P1	10100202	NOX	6.986	7.296	2.4319	0.85	0.950	SCR	SCR added by LADCO		
39	1	0701000007	R2	B002	B002P1	10100202	NOX	3.633	3.794	1.2646	0.85	0.950	SCR	SCR added by LADCO		
39	1	0701000007	R3	B003	B003P1	10100202	NOX	5.013	5.235	1.7452	0.85	0.950	SCR	SCR added by LADCO		
39	1	0701000007	R4	B004	B004P1	10100202	NOX	7.849	8.197	2.7324	0.85	0.950	SCR	SCR added by LADCO		

-----  
fcid 23.481 24.522 8.1740  
cyid 23.481 24.522 8.1740

STID=39 CYID=31 fcid=0616000000 name=CONESVILLE POWER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
39	31	0616000000	R4	B004	B004P1	10100212	NOX	20.852	21.776	1.0888	0.00	0.950	SCR	SCR added by LADCO		

STID=39 CYID=167 fcid=0684000000 name=MUSKINGUM RIVER POWER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
39	167	0684000000	R1	B001	B001P1	10200501	NOX	0.002	0.002	0.0001	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R2	B002	B002P1	10100201	NOX	5.817	6.074	0.3037	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R2	B002	B002P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R3	B003	B003P1	10100201	NOX	7.902	8.252	0.4126	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R3	B003	B003P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R4	B004	B004P1	10100203	NOX	7.877	8.227	0.4113	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R4	B004	B004P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R6	B006	B006P1	10100202	NOX	3.859	4.030	0.2015	0.00	0.950	SCR	SCR added by LADCO		
39	167	0684000000	R6	B006	B006P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO		

-----  
fcid 25.456 26.584 1.3292  
cyid 25.456 26.584 1.3292  
stid 69.789 72.882 10.5920

STID=55 CYID=79 fcid=241007690 name=WIS ELECTRIC POWER OAK CREEK STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
55	79	241007690	S13	B25	01	10100202	NOX	4.755	5.421	3.0898	0.00	0.430	SCR	SCR added by LADCO		
55	79	241007690	S13	B26	01	10100202	NOX	3.277	3.736	2.2045	0.00	0.410	SCR	SCR added by LADCO		
55	79	241007690	S14	B27	01	10100212	NOX	3.333	3.800	2.8499	0.00	0.250	SCR	SCR added by LADCO		
55	79	241007690	S14	B28	01	10100212	NOX	3.384	3.857	2.9316	0.00	0.240	SCR	SCR added by LADCO		

-----  
fcid 14.749 16.814 11.0757

STID=55 CYID=79 fcid=241007800 name=WIS ELECTRIC POWER VALLEY STATION

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
55	79	241007800	S11	B21	01	10100202	NOX	2.797	3.189	1.8177	0.00	0.430	SCR	SCR added by LADCO	
55	79	241007800	S11	B22	01	10100202	NOX	2.907	3.314	1.8893	0.00	0.430	SCR	SCR added by LADCO	
55	79	241007800	S12	B23	01	10100202	NOX	2.327	2.653	1.4061	0.00	0.470	SCR	SCR added by LADCO	
55	79	241007800	S12	B24	01	10100202	NOX	2.343	2.671	1.4155	0.00	0.470	SCR	Scrubber added by LADCO	
---															
fcid								10.374	11.827	6.5285					
cyid								25.123	28.641	17.6042					

STID=55 CYID=117 fcid=460033090 name=WP & L Alliant Energy - Edgewater Gen Station

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
55	117	460033090	S11	B23	01	10100203	NOX	1.620	1.846	1.1079	0.00	0.400	SCR	SCR added by LADCO	
55	117	460033090	S11	B24	01	10100203	NOX	4.107	4.682	3.8395	0.00	0.180	SCR	SCR added by LADCO	
55	117	460033090	S12	B25	01	10100221	NOX	5.680	6.476	5.5045	0.00	0.150	SCR	SCR added by LADCO	
---															
fcid								11.407	13.005	10.4519					
cyid								11.407	13.005	10.4519					
stid								36.530	41.646	28.0562					
								=====	=====	=====					
								252.681	278.349	86.2773					

**NOx 2018**

Point Source Grown and Controlled Emissions by facility for NOX r6s1b\_2018

Base Year = 2002

Future Year = 2018

STID=17 CYID=31 fcid=031600AIN name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	31	031600AIN	0010	0013	01	10100226	NOX	2.283	2.592	1.5550	0.00	0.400	SCR	SCR added by LADCO			
17	31	031600AIN	0010	0013	02	10100601	NOX	0.000	0.000	0.0000	0.00	0.400	SCR	SCR added by LADCO			
17	31	031600AIN	0012	0016	01	10100226	NOX	3.991	4.531	2.7184	0.00	0.400	SCR	SCR added by LADCO			
17	31	031600AIN	0012	0016	02	10100601	NOX	0.000	0.000	0.0000	0.00	0.400	SCR	SCR added by LADCO			
<hr/>						fcid		6.274	7.122	4.2734							
<hr/>						cyid		6.274	7.122	4.2734							

STID=17 CYID=33 fcid=033801AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	33	033801AAA	0005	0005	01	10100202	NOX	1.642	1.863	0.9317	0.00	0.500	SCR	SCR added by LADCO			
17	33	033801AAA	0006	0006	01	10100202	NOX	2.116	2.402	1.2012	0.00	0.500	SCR	SCR added by LADCO			
<hr/>						fcid		3.758	4.266	2.1329							
<hr/>						cyid		3.758	4.266	2.1329							

STID=17 CYID=57 fcid=057801AAA name=AES DUCK CREEK

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	57	057801AAA	0001	0001	01	10100202	NOX	0.815	0.925	0.9249	0.00	0.000	SCR	SCR added by LADCO			

STID=17 CYID=79 fcid=079808AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	79	079808AAA	0003	0003	01	10100202	NOX	6.735	7.645	7.6453	0.00	0.000	SCR	SCR added by LADCO			
17	79	079808AAA	0012	0013	01	10100501	NOX	5.936	3.984	3.9838	0.00	0.000	SCR	SCR added by LADCO			
<hr/>						fcid		12.671	11.629	11.6291							
<hr/>						cyid		12.671	11.629	11.6291							

STID=17 CYID=97 fcid=097190AAC name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	97	097190AAC	0016	0031	02	10100401	NOX	0.000	0.000	0.0000	0.00	0.999	SHUTDOWN	SCR added by LADCO			

STID=17 CYID=137 fcid=137805AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF				
17	137	137805AAA	0003	0003	01	10100202	NOX	5.356	6.080	6.0798	0.00	0.000	LNB	LNB added by LADCO			

STID=17 CYID=143 fcid=143805AAG name=AES ED EDWARDS STATION

			Base Yr		Grown	Controlled	Base Year	Future Year						
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes

17 143 143805AAG 0001 0001 01 10100202 NOX 3.052 3.464 3.4641 0.00 0.000 lnb LNB added by LADCO  
 17 143 143805AAG 0001 0003 01 10100202 NOX 6.942 7.880 7.8804 0.00 0.000 lnb LNB added by LADCO  
 17 143 143805AAC 0002 0004 01 10100202 NOX 2.131 2.419 2.4191 0.00 0.000 lnb LNB added by LADCO

fcid 12.124 13.764 13.7636

cyid 12.124 13.764 13.7636

STID=17 CYID=167 fcid=167120AAO name=CITY WATER LIGHT & POWER

STID	CYID	fcid	Base Yr		Grown		Controlled		Base Year		Future Year		ctrltype	ctrldes
			stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF		
17	167	167120AAO	0010	0012	01	10100203	NOX	6.527	7.410	0.0074	0.00	0.999	SHUTDOWN	SHUTDOWN added by LADCO
17	167	167120AAO	0010	0013	01	10100203	NOX	2.646	3.004	0.0030	0.00	0.999	SHUTDOWN	SHUTDOWN added by LADCO

**feld** 9.173 10.414 0.0104  
**cyid** 9.173 10.414 0.0104

STID-17.CVID-170.fcid-170801.AA.name-MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Growth	Controlled	Base Yr	Future Yr			
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrldes
17	179	179801AAA	0018	0029	01	10100203	NOX	22.429	25.462	1.2731	0.00	0.950	SCR	SCR added by LADCO

---

fcid	61.422	69.726	3.4863
cyid	61.422	69.726	3.4863

STID=17 CYID=197 fcid=197809AAO name=MIDWEST GENERATION LLC

			Base Yr		Grown	Controlled	Base Year		Future Year					
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrldes

17 197 197809AAO 0032 0033 02 10100604 NOX 0.000 0.000 0.0000 0.00 0.800 SCR SCR added by LADCC

STID=17 CYID=197 fid=197810AAK name=MIDWEST GENERATION LLC																
STID	CYID	fid	stkid	dvid	prid	scc	polid	Base Year			Controlled Year			Future Year		
								Tons/Day	Tons/Day	Tons/Day	Control	EF	Control	EF	ctrltype	ctrldes
17	197	197810AAK	0011	0016	02	10100222	NOX	5.731	6.506	3.9036	0.00	0.400	SCR	SCR added by LADCO		
17	197	197810AAK	0011	0016	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.400	SCR	SCR added by LADCO		
17	197	197810AAK	0013	0010	02	10100223	NOX	8.598	9.760	0.0098	0.00	0.999	SHUTDOWN	SCR added by LADCO		
17	197	197810AAK	0013	0010	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.999	SHUTDOWN	SCR added by LADCO		
17	197	197810AAK	0007	0012	02	10100223	NOX	10.974	12.458	0.0125	0.00	0.999	SHUTDOWN	SCR added by LADCO		
17	197	197810AAK	0007	0012	03	10100501	NOX	0.000	0.000	0.0000	0.00	0.999	SHUTDOWN	SCR added by LADCO		

fcid	25.303	28.724	3.9258
cyid	25.303	28.724	3.9258
stid	136.896	152.649	46.2263

STID=18 CYID=147 fcid=00020 name=INDIANA MICHIGAN POWER-ROCKPORT

Base Yr    Grown    Controlled    Base Year    Future Year

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrltype ctrldes

18 147 00020 1 001 01 10100222 NOX 23.226 25.291 1.2646 0.00 0.950 SCR SCR added by LADCO  
 18 147 00020 1 001 02 10100501 NOX 0.000 0.000 0.00000 0.00 0.950 SCR SCR added by LADCO

	23.226	25.291	1.2646
fcid	23.226	25.291	1.2646
cyid	23.226	25.291	1.2646
stid	23.226	25.291	1.2646

STID=27 CYID=61 fcid=2706100004 name=Minnesota Power Inc - Boswell Energy Ctr

Base Yr    Grown    Controlled    Base Year    Future Year

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrltype ctrldes

27 61 2706100004 SV003 EU003 001 10100226 NOX 13.661 15.733 3.1466 0.00 0.800 SCR SCR added by LADCO  
 27 61 2706100004 SV003 EU003 002 10100501 NOX 0.000 0.000 0.00000 0.00 0.800 SCR SCR added by LADCO

fcid 13.661 15.733 3.1466  
cvid 13.661 15.733 3.1466

STID=27 CYID=109 fcid=2710900011 name=Rochester Public Utilities - Silver Lake

Base Yr    Grown    Controlled    Base Year    Future Year

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrlytype ctrldes

27 109 2710900011 SV003 EU004 001 10100202 NOX 2.079 2.394 1.4363 0.00 0.400 SNCR SCR added by LADCO

stid 15.739 18.127 4.5830

STID=39 CYID=1 fcid=0701000007 name="DP&L, J.M. STUART GENERATING STATION"

Base Yr    Grown    Controlled    Base Year    Future Year

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrltype ctrldes

39 1 0701000007 R1 B001 B001P1 10100202 NOX 6.986 7.607 2.5358 0.85 0.950 SCR SCR added by LADCO  
 39 1 0701000007 R2 B002 B002P1 10100202 NOX 3.633 3.956 1.3186 0.85 0.950 SCR SCR added by LADCO  
 39 1 0701000007 R3 B003 B003P1 10100202 NOX 5.013 5.459 1.8197 0.85 0.950 SCR SCR added by LADCO

----- ----- -----  
6.1.1 22.424 25.572 25.582

23.481 25.570 8.5232

cyid 23.481 25.570 8.5232

STID=39 CYID=31 fcid=061600000 name=CONESVILLE POWER PLANT

Base Yr    Grown    Controlled    Base Year    Future Year  
 did T /D T /D T /D S

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrtype ctrlide

39 31 0616000000 R4 B004 B004P1 10100212 NOX 20.852 22.706 1.1353 0.00 0.950 SCR SCR added by LADCC

STID=39 CYID=167 fcid=0684000000 name=MUSKINGUM RIVER POWER PLANT

Base Yr    Grown    Controlled    Base Year    Future Year

STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrtype ctrldes

39 167 0684000000 R1 B001 B001P1 10200501 NOX 0.002 0.002 0.0001 0.00 0.950 SCR SCR added by LADCO

39	167	0684000000	R2	B002	B002P1	10100201	NOX	5.817	6.334	0.3167	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R2	B002	B002P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R3	B003	B003P1	10100201	NOX	7.902	8.604	0.4302	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R3	B003	B003P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R4	B004	B004P1	10100203	NOX	7.877	8.578	0.4289	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R4	B004	B004P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R6	B006	B006P1	10100202	NOX	3.859	4.202	0.2101	0.00	0.950	SCR	SCR added by LADCO
39	167	0684000000	R6	B006	B006P2	10100501	NOX	0.000	0.000	0.0000	0.00	0.950	SCR	SCR added by LADCO

fcid		25.456	27.720	1.3860
cyid		25.456	27.720	1.3860
stid		69.789	75.996	11.0445

STID=54 CYID=39 fcid=0006 name=APPALACHIAN POWER - KANAWHA RIVER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr    Grown    Controlled    Base Year    Future Year				Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Base Year				
54	39	0006	012	001	99		10100202	NOX	4.829	5.258	2.6291	0.00	0.500	SCR	Scrubber added by LADCO
54	39	0006	012	002	99		10100202	NOX	4.921	5.359	2.6794	0.00	0.500	SCR	Scrubber added by LADCO

fcid		9.750	10.617	5.3085
cyid		9.750	10.617	5.3085
stid		9.750	10.617	5.3085

STID=55 CYID=79 fcid=241007690 name=WIS ELECTRIC POWER OAK CREEK STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr    Grown    Controlled    Base Year    Future Year				Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Base Year				
55	79	241007690	S13	B25	01		10100202	NOX	4.755	5.398	3.0766	0.00	0.430	SCR	SCR added by LADCO
55	79	241007690	S13	B26	01		10100202	NOX	3.277	3.720	2.1951	0.00	0.410	SCR	SCR added by LADCO
55	79	241007690	S14	B27	01		10100212	NOX	3.333	3.784	2.8378	0.00	0.250	SCR	SCR added by LADCO
55	79	241007690	S14	B28	01		10100212	NOX	3.384	3.841	2.9191	0.00	0.240	SCR	SCR added by LADCO

fcid		14.749	16.743	11.0285
------	--	--------	--------	---------

STID=55 CYID=79 fcid=241007800 name=WIS ELECTRIC POWER VALLEY STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr    Grown    Controlled    Base Year    Future Year				Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Base Year				
55	79	241007800	S11	B21	01		10100202	NOX	2.797	3.175	1.4289	0.00	0.550	SCR	SCR added by LADCO
55	79	241007800	S11	B22	01		10100202	NOX	2.907	3.300	1.4852	0.00	0.550	SCR	SCR added by LADCO
55	79	241007800	S12	B23	01		10100202	NOX	2.327	2.642	1.1887	0.00	0.550	SCR	SCR added by LADCO
55	79	241007800	S12	B24	01		10100202	NOX	2.343	2.659	1.1967	0.00	0.550	SCR	SCR added by LADCO

fcid		10.374	11.777	5.2995
cyid		25.123	28.519	16.3281

STID=55 CYID=117 fcid=460033090 name=WP & L Alliant Energy - Edgewater Gen Station

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr    Grown    Controlled    Base Year    Future Year				Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Base Year				
55	117	460033090	S11	B23	01		10100203	NOX	1.620	1.839	1.1032	0.00	0.400	SCR	SCR added by LADCO

55	117	460033090	S11	B24	01	10100203	NOX	4.107	4.662	3.8232	0.00	0.180	SCR	SCR added by LADCO
55	117	460033090	S12	B25	01	10100221	NOX	5.680	6.448	5.4811	0.00	0.150	SCR	SCR added by LADCO

----  
fcid                    11.407    12.949    10.4074

cyid                    11.407    12.949    10.4074

stid                    36.530    41.469    26.7355

===== ====== ======  
291.931    324.149    95.1624

**SO2 - 2009**

Point Source Grown and Controlled Emissions by facility for SO2 r6s1b\_2009

1

Base Year = 2002

Future Year = 2009

STID=19 CYID=115 fcid=58-07-001 name=MIDAMERICAN ENERGY CO. - LOUISA STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
19	115	58-07-001	117487	147281	99		10100222	SO2	33.664	34.774	3.4774	0.0	0.90	SCRUBBER	Scrubber added by LADCO			

STID=21 CYID=161 fcid=2116100009 name=EAST KY POWER COOP

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
21	161	2116100009	1	001	99		10100202	SO2	42.166	42.103	4.2103	0.0	0.90	SCRUBBER	Scrubber added by LADCO			
21	161	2116100009	2	002	99		10100212	SO2	55.385	55.303	5.5303	0.0	0.90	SCRUBBER	Scrubber added by LADCO			

-----  
 fcid  
 cyid  
 stid  
 -----  
 97.551 97.406 9.7406  
 97.551 97.406 9.7406  
 97.551 97.406 9.7406

STID=27 CYID=141 fcid=2714100004 name=NSP - Sherburne Generating Plant

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
27	141	2714100004	SV001	EU001	001		10100222	SO2	16.765	16.987	3.6401	0.3	0.85	SCRUBBER	Scrubber added by LADCO			
27	141	2714100004	SV001	EU002	001		10100222	SO2	22.549	22.848	4.8959	0.3	0.85	SCRUBBER	Scrubber added by LADCO			

-----  
 fcid  
 cyid  
 stid  
 -----  
 39.314 39.834 8.5360  
 39.314 39.834 8.5360  
 39.314 39.834 8.5360

STID=54 CYID=51 fcid=0005 name=OHIO POWER - MITCHELL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
54	51	0005	012	001	99		10100202	SO2	17.775	17.748	1.7748	0.0	0.90	SCRUBBER	Scrubber added by LADCO			
54	51	0005	012	002	99		10100202	SO2	5.689	5.680	0.5680	0.0	0.90	SCRUBBER	Scrubber added by LADCO			

-----  
 fcid  
 cyid  
 -----  
 23.463 23.428 2.3428  
 23.463 23.428 2.3428

STID=54 CYID=53 fcid=0009 name=APPALACHIAN POWER - MOUNTAINEER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
54	53	0009	001	001	99		10100202	SO2	11.196	11.179	1.1179	0.0	0.90	SCRUBBER	Scrubber added by LADCO			

STID=54 CYID=79 fcid=0006 name=APPALACHIAN POWER - JOHN E AMOS PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				

54	79	0006	012	001	99	10100202	SO2	79.635	79.516	7.9516	0.0	0.90	SCRUBBER	Scrubber added by LADCO
54	79	0006	003	003	99	10100202	SO2	139.377	139.169	13.9169	0.0	0.90	SCRUBBER	Scrubber added by LADCO
---														
fcid						219.012	218.685	21.8685						
cyid						219.012	218.685	21.8685						
stid						253.671	253.293	25.3293						
						=====	=====	=====						
						424.200	425.307	47.0832						

S02 – 2012

Point Source Grown and Controlled Emissions by facility for SO2 r6s1b\_2012

1

Base Year = 2002

Future Year = 2012

STID=17 CYID=31 fcid=031600AMI name=MIDWEST GENERATION LLC

Base Yr    Grown    Controlled    Base Year    Future Year

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrtype	ctrldes
17	31	031600AMI	0007	0010	01	10100226	SO2	16.13	18.39	1.839	0.0	0.900	SCRUBBER	Scrubber added by LADCO

STID=17 CYID=97 fcid=097190AAC name=MIDWEST GENERATION LLC

Base Yr    Grown    Controlled    Base Year    Future Year

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrtype	ctrldes
17	97	097190AAC	0018	0033	01	10100226	SO2	24.14	27.52	2.752	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	97	097190AAC	0021	0036	01	10100226	SO2	19.23	21.92	2.192	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	97	097190AAC	0016	0031	01	10100203	SO2	4.59	5.24	0.005	0.0	0.999	SHUTDOWN	Scrubber added by LADCO

**fcid** 47.96 54.68 4.950  
**cyid** 47.96 54.68 4.950

STID=17 CYID=125 fcid=125804AAB name=DYNEGY MIDWEST GENERATION INC  
 Base Yr Grown Controlled Base Year Future Year  
 STID CYID fcid stkid dvid prid scc polid Tons/Day Tons/Day Tons/Day Control EF Control EF ctrltype ctrldes  
 17 125 125804AAB 0019 0023 01 10100202 SO2 22.34 25.47 3.821 0.0 0.850 SCRUBBER Scrubber added by LADCO

STID=17 CYID=127 fcid=127855 AAC name=ELECTRIC ENERGY INC

Base Yr    Grown    Controlled    Base Year    Future Year

STID	CYID	fcid	stkid	dvid	prid	Base 11		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	127	127855AAC	0001	0001	01	10100222	SO2	11.83	13.48	13.482	0.0	0.000	LNB	LNB added by LADCO	
17	127	127855AAC	0001	0002	01	10100222	SO2	11.48	13.09	13.085	0.0	0.000	LNB	LNB added by LADCO	
17	127	127855AAC	0002	0003	01	10100222	SO2	10.25	11.68	11.680	0.0	0.000	LNB	LNB added by LADCO	
17	127	127855AAC	0002	0004	01	10100222	SO2	12.04	13.73	13.731	0.0	0.000	LNB	LNB added by LADCO	
17	127	127855AAC	0003	0006	01	10100222	SO2	12.68	14.46	14.456	0.0	0.000	LNB	LNB added by LADCO	

**fcid** 58.27 66.43 66.435  
**cyid** 58.27 66.43 66.435

STID=17 CYID=135 fcid=135803AAA name=AMEREN ENERGY GENERATING CO

Base Yr    Grown    Controlled    Base Year    Future Year

STID	CYID	fcid	stkid	dvid	prid	Base 11		Growth		Controlled		Base Year		Future Year	
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes	
17	135	135803AAA	0001	0001	01	10100203	SO2	32.99	37.61	3.761	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	135	135803AAA	0001	0003	01	10100203	SO2	72.92	83.13	8.313	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

fcid 105.91 120.74 12.074  
cyid 105.91 120.74 12.074

STID=17 CYID=157 fcid=157851AAA name=DYNEGY MIDWEST GENERATION INC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	157	157851AAA	0001	0001	01	10100203	SO2	25.14	28.66	4.299	0.0	0.850	SCRUBBER	Scrubber added by LADCO	
17	157	157851AAA	0002	0002	01	10100203	SO2	25.79	29.41	4.411	0.0	0.850	SCRUBBER	Scrubber added by LADCO	
17	157	157851AAA	0013	0013	01	10100202	SO2	27.79	31.68	4.752	0.0	0.850	SCRUBBER	Scrubber added by LADCO	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
fcid						78.72		89.75		13.462					
cyid						78.72		89.75		13.462					

STID=17 CYID=167 fcid=167120AAO name=CITY WATER LIGHT & POWER

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	167	167120AAO	0010	0012	01	10100203	SO2	44.20	50.39	0.050	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
17	167	167120AAO	0010	0013	01	10100203	SO2	16.40	18.70	0.019	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
fcid						60.61		69.10		0.069					
cyid						60.61		69.10		0.069					

STID=17 CYID=179 fcid=179801AAA name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	179	179801AAA	0018	0029	01	10100203	SO2	25.35	28.90	2.890	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	179	179801AAA	0018	0031	01	10100203	SO2	41.57	47.39	4.739	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
fcid						66.91		76.29		7.629					
cyid						66.91		76.29		7.629					

STID=17 CYID=197 fcid=197810AAK name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
17	197	197810AAK	0013	0010	03	10100501	SO2	0.00	0.00	0.000	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
17	197	197810AAK	0007	0012	02	10100223	SO2	15.33	17.48	0.017	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
17	197	197810AAK	0007	0012	03	10100501	SO2	0.00	0.00	0.000	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
fcid						15.33		17.48		0.017					
cyid						15.33		17.48		0.017					
stid						472.19		538.32		110.295					

STID=19 CYID=115 fcid=58-07-001 name=MIDAMERICAN ENERGY CO. - LOUISA STATION

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				
19	115	58-07-001	117487	147281	99	10100222	SO2	33.66	38.38	3.838	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

STID=21 CYID=161 fcid=2116100009 name=EAST KY POWER COOP

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Tons/Day				

21	161	2116100009	1	001	99	10100202	SO2	42.17	44.03	4.403	0.0	0.900	SCRUBBER	Scrubber added by LADCO
21	161	2116100009	2	002	99	10100212	SO2	55.39	57.84	5.784	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	97.55	101.87	10.187
cyid	97.55	101.87	10.187
stid	97.55	101.87	10.187

STID=27 CYID=61 fcid=2706100004 name=Minnesota Power Inc - Boswell Energy Ctr

Base Yr    Grown    Controlled    Base Year    Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
27	61	2706100004	SV003	EU003	001	10100226	SO2	33.99	35.19	15.081	0.3	0.700	SCRUBBER	Scrubber added by LADCO
27	61	2706100004	SV003	EU003	002	10100501	SO2	0.00	0.00	0.000	0.3	0.700	SCRUBBER	Scrubber added by LADCO

fcid	33.99	35.19	15.081
cyid	33.99	35.19	15.081

STID=27 CYID=109 fcid=2710900011 name=Rochester Public Utilities - Silver Lake

Base Yr    Grown    Controlled    Base Year    Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
27	109	2710900011	SV003	EU004	001	10100202	SO2	7.86	8.13	1.220	0.0	0.850	SCRUBBER	Scrubber added by LADCO

STID=27 CYID=141 fcid=2714100004 name=NSP - Sherburne Generating Plant

Base Yr    Grown    Controlled    Base Year    Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
27	141	2714100004	SV001	EU001	001	10100222	SO2	16.76	17.36	3.719	0.3	0.850	SCRUBBER	Scrubber added by LADCO
27	141	2714100004	SV001	EU002	001	10100222	SO2	22.55	23.34	5.002	0.3	0.850	SCRUBBER	Scrubber added by LADCO

fcid	39.31	40.70	8.721
cyid	39.31	40.70	8.721
stid	81.16	84.02	25.023

STID=39 CYID=13 fcid=0607130015 name=R. E. BURGER PLANT

Base Yr    Grown    Controlled    Base Year    Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
39	13	0607130015	R6	B011	B011P1	10100202	SO2	29.83	31.15	3.115	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	13	0607130015	R7	B012	B012P1	10100202	SO2	34.77	36.31	3.631	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	64.60	67.46	6.746
cyid	64.60	67.46	6.746

STID=39 CYID=31 fcid=0616000000 name=CONESVILLE POWER PLANT

Base Yr    Grown    Controlled    Base Year    Future Year														
STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
39	31	0616000000	R4	B004	B004P1	10100212	SO2	316.00	330.00	33.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO

stid	380.60	397.46	39.746
------	--------	--------	--------

STID=47 CYID=1 fcid=0009 name=TVA BULL RUN FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day				
47	1	0009	S-1	001	99	10100212	SO2	130.81	133.01	13.301	0.0	0.900	SCRUBBER	Scrubber added by LADCO

STID=47 CYID=73 fcid=0007 name=TVA JOHN SEVIER FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day				
47	73	0007	S-1A	001	99	10100212	SO2	20.15	20.49	2.049	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	73	0007	S-1B	002	99	10100212	SO2	20.25	20.59	2.059	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	73	0007	S-2A	003	99	10100212	SO2	19.62	19.95	1.995	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	73	0007	S-2B	004	99	10100212	SO2	18.93	19.25	1.925	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	78.95	80.28	8.028
cyid	78.95	80.28	8.028

STID=47 CYID=85 fcid=0011 name=TVA JOHNSONVILLE FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day				
47	85	0011	S1-01	001	99	10100212	SO2	17.06	17.35	1.735	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	85	0011	S1-04	004	99	10100212	SO2	19.85	20.18	2.018	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	85	0011	S1-05	005	99	10100212	SO2	24.11	24.52	2.452	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	61.02	62.04	6.204
cyid	61.02	62.04	6.204

STID=47 CYID=145 fcid=0013 name=TVA KINGSTON FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day				
47	145	0013	S-1	001	99	10100202	SO2	12.68	12.89	1.289	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-1	002	99	10100202	SO2	14.00	14.24	1.424	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-1	003	99	10100202	SO2	13.80	14.04	1.404	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-1	004	99	10100202	SO2	12.24	12.44	1.244	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-1	005	99	10100202	SO2	19.57	19.90	1.990	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-2	006	99	10100202	SO2	18.92	19.24	1.924	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-2	007	99	10100202	SO2	21.30	21.66	2.166	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-2	008	99	10100202	SO2	18.54	18.85	1.885	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	145	0013	S-2	009	99	10100202	SO2	20.72	21.07	2.107	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	151.77	154.33	15.433
cyid	151.77	154.33	15.433

STID=47 CYID=165 fcid=0025 name=TVA GALLATIN FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr	Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day				
47	165	0025	S-01	001	99	10100212	SO2	13.91	14.14	1.414	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-01	002	99	10100212	SO2	14.87	15.12	1.512	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-02	003	99	10100212	SO2	16.33	16.60	1.660	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-02	004	99	10100212	SO2	20.39	20.73	2.073	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	-----	-----	-----
cyid	-----	-----	-----

fcid		65.49	66.59	6.659
cyid		65.49	66.59	6.659
stid		488.04	496.25	49.625

STID=54 CYID=51 fcid=0005 name=OHIO POWER - MITCHELL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF					
54	51	0005	012	001	99	10100202	SO2	17.77	18.56	1.856	0.0	0.900	SCRUBBER	Scrubber added by LADCO			
54	51	0005	012	002	99	10100202	SO2	5.69	5.94	0.594	0.0	0.900	SCRUBBER	Scrubber added by LADCO			
---																	
fcid								23.46	24.50	2.450							
cyid								23.46	24.50	2.450							

STID=54 CYID=53 fcid=0009 name=APPALACHIAN POWER - MOUNTAINEER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF					
54	53	0009	001	001	99	10100202	SO2	11.20	11.69	1.169	0.0	0.900	SCRUBBER	Scrubber added by LADCO			

STID=54 CYID=79 fcid=0006 name=APPALACHIAN POWER - JOHN E AMOS PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF					
54	79	0006	012	001	99	10100202	SO2	79.63	83.16	8.316	0.0	0.900	SCRUBBER	Scrubber added by LADCO			
54	79	0006	012	002	99	10100202	SO2	100.33	104.78	10.478	0.0	0.900	SCRUBBER	Scrubber added by LADCO			
54	79	0006	003	003	99	10100202	SO2	139.38	145.55	14.555	0.0	0.900	SCRUBBER	Scrubber added by LADCO			
---								319.35	333.50	33.350							
fcid								319.35	333.50	33.350							
cyid								354.00	369.69	36.969							
stid																	

STID=55 CYID=79 fcid=241007690 name=WIS ELECTRIC POWER OAK CREEK STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Control EF					
55	79	241007690	S13	B25	01	10100202	SO2	12.75	14.54	3.490	0.0	0.760	SCRUBBER	Scrubber added by LADCO			
55	79	241007690	S13	B26	01	10100202	SO2	8.68	9.89	2.473	0.0	0.750	SCRUBBER	Scrubber added by LADCO			
55	79	241007690	S14	B27	01	10100212	SO2	10.97	12.51	2.876	0.0	0.770	SCRUBBER	Scrubber added by LADCO			
55	79	241007690	S14	B28	01	10100212	SO2	11.28	12.86	2.958	0.0	0.770	SCRUBBER	Scrubber added by LADCO			
---								43.68	49.80	11.797							
fcid								43.68	49.80	11.797							
cyid								43.68	49.80	11.797							
stid								43.68	49.80	11.797							
								1950.90	2075.80	287.480							

**SO2 - 2018**

Point Source Grown and Controlled Emissions by facility for SO2 r6s1b\_2018

1

Base Year = 2002

Future Year = 2018

STID=17 CYID=31 fcid=031600AIN name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					
17	31	031600AIN	0010	0013	01	10100226	SO2	10.92	12.39	1.239	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
17	31	031600AIN	0012	0016	01	10100226	SO2	17.69	20.08	2.008	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
						-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
fcid							28.61	32.48	3.248							

STID=17 CYID=31 fcid=031600AMI name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					
17	31	031600AMI	0007	0010	01	10100226	SO2	16.13	18.31	1.831	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
						-----	-----	-----	-----	-----	-----	-----	-----	-----		
cyid							44.74	50.79	5.079							

STID=17 CYID=79 fcid=079808AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					
17	79	079808AAA	0003	0003	01	10100202	SO2	36.35	41.27	4.127	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
17	79	079808AAA	0012	0013	01	10100501	SO2	28.99	19.46	1.946	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
						-----	-----	-----	-----	-----	-----	-----	-----	-----		
fcid							65.34	60.72	6.072							
cyid							65.34	60.72	6.072							

STID=17 CYID=97 fcid=097190AAC name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					
17	97	097190AAC	0018	0033	01	10100226	SO2	24.14	27.40	2.740	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
17	97	097190AAC	0021	0036	01	10100226	SO2	19.23	21.83	2.183	0.0	0.900	SCRUBBER	Scrubber added by LADCO		
17	97	097190AAC	0016	0031	01	10100203	SO2	4.59	5.22	0.005	0.0	0.999	SHUTDOWN	Scrubber added by LADCO		
						-----	-----	-----	-----	-----	-----	-----	-----	-----		
fcid							47.96	54.45	4.928							
cyid							47.96	54.45	4.928							

STID=17 CYID=125 fcid=125804AAB name=DYNEGY MIDWEST GENERATION INC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					
17	125	125804AAB	0019	0023	01	10100202	SO2	22.34	25.36	3.805	0.0	0.850	SCRUBBER	Scrubber added by LADCO		

STID=17 CYID=127 fcid=127855AAC name=ELECTRIC ENERGY INC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year		Future Year		Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF					

17	127	127855AAC	0002	0003	01	10100222	SO2	10.25	11.63	11.630	0.0	0.000	LNB	LNB added by LADCO
17	127	127855AAC	0002	0004	01	10100222	SO2	12.04	13.67	13.673	0.0	0.000	LNB	LNB added by LADCO
17	127	127855AAC	0001	0001	01	10100222	SO2	11.83	13.42	1.342	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	127	127855AAC	0001	0002	01	10100222	SO2	11.48	13.03	1.303	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	127	127855AAC	0003	0005	01	10100222	SO2	11.72	13.31	1.331	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	127	127855AAC	0003	0006	01	10100222	SO2	12.68	14.39	1.439	0.0	0.900	SCRUBBER	Scrubber added by LADCO

-----  
fcid 70.00 79.46 30.719  
cyid 70.00 79.46 30.719

STID=17 CYID=135 fcid=135803AAA name=AMEREN ENERGY GENERATING CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr Grown Controlled Base Year Future Year								
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	135	135803AAA	0001	0001	01	10100203	SO2	32.99	37.45	3.745	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	135	135803AAA	0001	0003	01	10100203	SO2	72.92	82.77	8.277	0.0	0.900	SCRUBBER	Scrubber added by LADCO

-----  
fcid 105.91 120.22 12.022  
cyid 105.91 120.22 12.022

STID=17 CYID=143 fcid=143805AAG name=AES ED EDWARDS STATION

STID	CYID	fcid	stkid	dvid	prid	Base Yr Grown Controlled Base Year Future Year								
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	143	143805AAG	0002	0004	01	10100202	SO2	15.28	17.34	1.734	0.0	0.900	SCRUBBER	Scrubber added by LADCO

STID=17 CYID=157 fcid=157851AAA name=DYNEGY MIDWEST GENERATION INC

STID	CYID	fcid	stkid	dvid	prid	Base Yr Grown Controlled Base Year Future Year								
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	157	157851AAA	0001	0001	01	10100203	SO2	25.14	28.54	4.281	0.0	0.850	SCRUBBER	Scrubber added by LADCO
17	157	157851AAA	0002	0002	01	10100203	SO2	25.79	29.28	4.392	0.0	0.850	SCRUBBER	Scrubber added by LADCO
17	157	157851AAA	0013	0013	01	10100202	SO2	27.79	31.54	4.732	0.0	0.850	SCRUBBER	Scrubber added by LADCO

-----  
fcid 78.72 89.36 13.404  
cyid 78.72 89.36 13.404

STID=17 CYID=167 fcid=167120AAO name=CITY WATER LIGHT & POWER

STID	CYID	fcid	stkid	dvid	prid	Base Yr Grown Controlled Base Year Future Year								
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	167	167120AAO	0010	0012	01	10100203	SO2	44.20	50.18	0.050	0.0	0.999	SHUTDOWN	Scrubber added by LADCO
17	167	167120AAO	0010	0013	01	10100203	SO2	16.40	18.62	0.019	0.0	0.999	SHUTDOWN	Scrubber added by LADCO

-----  
fcid 60.61 68.80 0.069  
cyid 60.61 68.80 0.069

STID=17 CYID=179 fcid=179801AAA name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr Grown Controlled Base Year Future Year								
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes
17	179	179801AAA	0018	0029	01	10100203	SO2	25.35	28.77	2.877	0.0	0.900	SCRUBBER	Scrubber added by LADCO
17	179	179801AAA	0018	0031	01	10100203	SO2	41.57	47.19	4.719	0.0	0.900	SCRUBBER	Scrubber added by LADCO

-----

fcid		66.91	75.96	7.596
cyid		66.91	75.96	7.596

STID=17 CYID=197 fcid=197809AAO name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
17	197	197809AAO	0006	0009	01	10100203	SO2	15.89	18.04	1.804	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	197	197809AAO	0016	0031	01	10100202	SO2	27.43	31.13	3.113	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	197	197809AAO	0017	0033	01	10100202	SO2	23.13	26.26	2.626	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
----															
fcid						66.45	75.44	7.544							

STID=17 CYID=197 fcid=197810AAK name=MIDWEST GENERATION LLC

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
17	197	197810AAK	0009	0014	02	10100222	SO2	11.64	13.21	1.321	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	197	197810AAK	0011	0016	02	10100222	SO2	25.67	29.14	2.914	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
17	197	197810AAK	0013	0010	03	10100501	SO2	0.00	0.00	0.000	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
17	197	197810AAK	0007	0012	02	10100223	SO2	15.33	17.40	0.017	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
17	197	197810AAK	0007	0012	03	10100501	SO2	0.00	0.00	0.000	0.0	0.999	SHUTDOWN	Scrubber added by LADCO	
----						52.64	59.75	4.252							
fcid						119.09	135.19	11.796							
cyid						696.90	777.66	97.225							
stid															

STID=18 CYID=147 fcid=00020 name=INDIANA MICHIGAN POWER-ROCKPORT

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
18	147	00020	1	001	01	10100222	SO2	66.42	72.32	7.232	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
18	147	00020	1	001	02	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
----						66.42	72.32	7.232							
fcid						66.42	72.32	7.232							
cyid						66.42	72.32	7.232							
stid						66.42	72.32	7.232							

STID=19 CYID=115 fcid=58-07-001 name=MIDAMERICAN ENERGY CO. - LOUISA STATION

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
19	115	58-07-001	117487	147281	99	10100222	SO2	33.66	38.22	3.822	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

STID=21 CYID=127 fcid=2112700003 name=KENTUCKY POWER CO

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
21	127	2112700003	2	002	99	10100202	SO2	104.52	113.82	11.382	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

STID=21 CYID=161 fcid=2116100009 name=EAST KY POWER COOP

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				

21	161	2116100009	1	001	99	10100202	SO2	42.17	45.92	4.592	0.0	0.900	SCRUBBER	Scrubber added by LADCO
21	161	2116100009	2	002	99	10100212	SO2	55.39	60.31	6.031	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid	97.55	106.23	10.623
cyid	97.55	106.23	10.623
stid	202.07	220.04	22.004

STID=27 CYID=61 fcid=2706100004 name=Minnesota Power Inc - Boswell Energy Ctr

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
27	61	2706100004	SV003	EU003	001	10100226	SO2	33.99	39.15	16.778	0.3	0.700	SCRUBBER	Scrubber added by LADCO	
27	61	2706100004	SV003	EU003	002	10100501	SO2	0.00	0.00	0.000	0.3	0.700	SCRUBBER	Scrubber added by LADCO	

fcid	33.99	39.15	16.778
cyid	33.99	39.15	16.778

STID=27 CYID=109 fcid=2710900011 name=Rochester Public Utilities - Silver Lake

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
27	109	2710900011	SV003	EU004	001	10100202	SO2	7.86	9.05	1.357	0.0	0.850	SCRUBBER	Scrubber added by LADCO	

STID=27 CYID=141 fcid=2714100004 name=NSP - Sherburne Generating Plant

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
27	141	2714100004	SV001	EU001	001	10100222	SO2	16.76	19.31	4.138	0.3	0.850	SCRUBBER	Scrubber added by LADCO	
27	141	2714100004	SV001	EU002	001	10100222	SO2	22.55	25.97	5.565	0.3	0.850	SCRUBBER	Scrubber added by LADCO	

fcid	39.31	45.28	9.703
cyid	39.31	45.28	9.703
stid	81.16	93.48	27.838

STID=39 CYID=13 fcid=0607130015 name=R. E. BURGER PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
39	13	0607130015	R6	B011	B011P1	10100202	SO2	29.83	32.48	3.248	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
39	13	0607130015	R7	B012	B012P1	10100202	SO2	34.77	37.86	3.786	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

fcid	64.60	70.34	7.034
cyid	64.60	70.34	7.034

STID=39 CYID=31 fcid=0616000000 name=CONESVILLE POWER PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				
39	31	0616000000	R4	B004	B004P1	10100212	SO2	316.00	344.11	34.411	0.0	0.900	SCRUBBER	Scrubber added by LADCO	

STID=39 CYID=167 fcid=0684000000 name=MUSKINGUM RIVER POWER PLANT

STID	CYID	fcid	stkid	dvid	prid	Base Yr		Grown	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes
						scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF				

39	167	0684000000	R2	B002	B002P1	10100201	SO2	65.07	70.85	7.085	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R2	B002	B002P2	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R3	B003	B003P1	10100201	SO2	94.58	103.00	10.300	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R3	B003	B003P2	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R4	B004	B004P1	10100203	SO2	81.64	88.90	8.890	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R4	B004	B004P2	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R5	B005	B005P1	10100203	SO2	97.22	105.87	10.587	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R5	B005	B005P2	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R6	B006	B006P1	10100202	SO2	113.96	124.10	12.410	0.0	0.900	SCRUBBER	Scrubber added by LADCO
39	167	0684000000	R6	B006	B006P2	10100501	SO2	0.00	0.00	0.000	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid		452.48	492.72	49.272
cyid		452.48	492.72	49.272
stid		833.08	907.16	90.716

STID=47 CYID=1 fcid=0009 name=TVA BULL RUN FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
47	1	0009	S-1	001	99	10100212	SO2	130.81	136.82	13.682	0.0	0.900	SCRUBBER	Scrubber added by LADCO				

STID=47 CYID=73 fcid=0007 name=TVA JOHN SEVIER FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
47	73	0007	S-1A	001	99	10100212	SO2	20.15	21.07	2.107	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	73	0007	S-1B	002	99	10100212	SO2	20.25	21.18	2.118	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	73	0007	S-2A	003	99	10100212	SO2	19.62	20.52	2.052	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	73	0007	S-2B	004	99	10100212	SO2	18.93	19.80	1.980	0.0	0.900	SCRUBBER	Scrubber added by LADCO				

fcid		78.95	82.57	8.257
cyid		78.95	82.57	8.257

STID=47 CYID=85 fcid=0011 name=TVA JOHNSONVILLE FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
47	85	0011	S1-01	001	99	10100212	SO2	17.06	17.84	1.784	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	85	0011	S1-04	004	99	10100212	SO2	19.85	20.76	2.076	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	85	0011	S1-05	005	99	10100212	SO2	24.11	25.22	2.522	0.0	0.900	SCRUBBER	Scrubber added by LADCO				

fcid		61.02	63.82	6.382
cyid		61.02	63.82	6.382

STID=47 CYID=145 fcid=0013 name=TVA KINGSTON FOSSIL PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Grown		Controlled		Base Year		Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrltype	ctrldes				
47	145	0013	S-1	001	99	10100202	SO2	12.68	13.26	1.326	0.0	0.900	SCRUBBER	Scrubber added by LADCO				
47	145	0013	S-1	002	99	10100202	SO2	14.00	14.65	1.465	0.0	0.900	SCRUBBER	Scrubber added by LADCO				

STID=47 CYID=165 fcid=0025 name=TVA GALLATIN FOSSIL PLANT

Base Yr    Grown    Controlled

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrlrdes
47	165	0025	S-01	001	99	10100212	SO2	13.91	14.54	1.454	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-01	002	99	10100212	SO2	14.87	15.56	1.556	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-02	003	99	10100212	SO2	16.33	17.08	1.708	0.0	0.900	SCRUBBER	Scrubber added by LADCO
47	165	0025	S-02	004	99	10100212	SO2	20.39	21.32	2.132	0.0	0.900	SCRUBBER	Scrubber added by LADCO
<hr/>								<hr/>						
fcid								65.49	68.50	6.850				
cyid								65.49	68.50	6.850				
stid								488.04	510.46	51.046				

STID=54 CYID=39 fcid=0006 name=APPALACHIAN POWER - KANAWHA RIVER PLANT

Base Yr    Grown    Controlled    Base Year    Future Year

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day	Control EF	Control EF	ctrlype	ctrldes
54	39	0006	012	001	99	10100202	SO2	19.45	21.18	10.591	0.0	0.500	SCRUBBER	Scrubber added by LADCO
54	39	0006	012	002	99	10100202	SO2	20.94	22.80	11.399	0.0	0.500	SCRUBBER	Scrubber added by LADCO
---							-----	-----	-----					
fcid							40.39	43.98	21.990					
cyid							40.39	43.98	21.990					

STID=54 CYID=51 fcid=0005 name=OHIO POWER - MITCHELL PLANT

Base Yr      Grown      Controlled      Base Year      Future Year

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Year			Controlled			Future Year	
								Tons/Day	Tons/Day	Tons/Day	Control	EF	Control EF	ctrltype	ctrldes
54	51	0005	012	001	99	10100202	SO2	17.77	19.36	1.936	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
54	51	0005	012	002	99	10100202	SO2	5.69	6.19	0.619	0.0	0.900	SCRUBBER	Scrubber added by LADCO	
----	----	fcid	-----	-----	-----	-----	-----	23.46	25.55	2.555	-----	-----	-----	-----	-----

STID=54 CYID=51 fcid=0006 name=OHIO POWER - KAMMER PLANT

Base Yr      Grown      Controlled      Base Year      Future Year

STID	CYID	fcid	Base Year			Growth	Controlled	Base Year	Future Year	Control EF	Control EF	ctrlype	ctrldes	
			stkid	dvid	prid	scc	polid	Tons/Day	Tons/Day	Tons/Day				
54	51	0006	013	001	99	10100203	SO2	47.06	51.25	5.125	0.0	0.900	SCRUBBER	Scrubber added by LADCO
54	51	0006	013	002	99	10100203	SO2	47.66	51.90	5.190	0.0	0.900	SCRUBBER	Scrubber added by LADCO
54	51	0006	013	003	99	10100203	SO2	41.94	45.67	4.567	0.0	0.900	SCRUBBER	Scrubber added by LADCO

fcid		136.67	148.82	14.882
cyid		160.13	174.37	17.437

STID=54 CYID=53 fcid=0001 name=APPALACHIAN POWER CO.-PHILIP SPORN PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown		Controlled		Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Tons/Day							
54	53	0001	014	001	99	10100202	SO2	18.65	20.31	2.031	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	53	0001	014	002	99	10100202	SO2	15.87	17.28	1.728	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	53	0001	014	003	99	10100202	SO2	21.46	23.36	2.336	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	53	0001	014	004	99	10100202	SO2	20.53	22.36	2.236	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	53	0001	005	005	99	10100202	SO2	46.82	50.98	5.098	0.0	0.900	SCRUBBER	Scrubber added by LADCO					

fcid		123.33	134.30	13.430
------	--	--------	--------	--------

STID=54 CYID=53 fcid=0009 name=APPALACHIAN POWER - MOUNTAINEER PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown		Controlled		Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Tons/Day							
54	53	0009	001	001	99	10100202	SO2	11.20	12.19	1.219	0.0	0.900	SCRUBBER	Scrubber added by LADCO					

cyid		134.53	146.49	14.649
------	--	--------	--------	--------

STID=54 CYID=79 fcid=0006 name=APPALACHIAN POWER - JOHN E AMOS PLANT

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown		Controlled		Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Tons/Day							
54	79	0006	012	001	99	10100202	SO2	79.63	86.72	8.672	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	79	0006	012	002	99	10100202	SO2	100.33	109.26	10.926	0.0	0.900	SCRUBBER	Scrubber added by LADCO					
54	79	0006	003	003	99	10100202	SO2	139.38	151.77	15.177	0.0	0.900	SCRUBBER	Scrubber added by LADCO					

fcid		319.35	347.75	34.775
cyid		319.35	347.75	34.775
stid		654.39	712.59	88.851

STID=55 CYID=79 fcid=241007690 name=WIS ELECTRIC POWER OAK CREEK STATION

STID	CYID	fcid	stkid	dvid	prid	scc	polid	Base Yr		Grown		Controlled		Base Year	Future Year	Control EF	Control EF	ctrltype	ctrldes
								Tons/Day	Tons/Day	Tons/Day	Tons/Day	Tons/Day							
55	79	241007690	S13	B25	01	10100202	SO2	12.75	14.48	3.475	0.0	0.760	SCRUBBER	Scrubber added by LADCO					
55	79	241007690	S13	B26	01	10100202	SO2	8.68	9.85	2.462	0.0	0.750	SCRUBBER	Scrubber added by LADCO					
55	79	241007690	S14	B27	01	10100212	SO2	10.97	12.45	2.864	0.0	0.770	SCRUBBER	Scrubber added by LADCO					
55	79	241007690	S14	B28	01	10100212	SO2	11.28	12.81	2.945	0.0	0.770	SCRUBBER	Scrubber added by LADCO					

fcid		43.68	49.59	11.746
cyid		43.68	49.59	11.746
stid		43.68	49.59	11.746

=====	=====	=====
3099.41	3381.52	400.481

## Appendix II

### Scenario C Controls (CAMD List)

### NOx Controls (SCRs, 2007 – 2013))

Plant Name	UniqueID_Final	State Name	County	Capacity MW	On Line Year	SCR Online Year
Chesterfield	3797_B_4	Virginia	Chesterfield	166	1960	2013
Chesterfield	3797_B_5	Virginia	Chesterfield	310	1964	2012
Scherer	6257_B_3	Georgia	Monroe	875	1987	2011
Chesterfield	3797_B_6	Virginia	Chesterfield	658	1969	2011
Sandow No 4	6648_B_4	Texas	Milam	545	1981	2011
Beech Hollow Power Project	82704_B_1	Pennsylvania	Washington	272	2011	2011
Longview Power	82702_B_1	West Virginia	Monongalia	695	2011	2011
Cliffside	2721_B_6	North Carolina	Cleveland	800	2011	2011
AES Westover	2526_B_11	New York	Broome	22	1943	2010
AES Westover	2526_B_12	New York	Broome	22	1943	2010
AES Westover	2526_B_13	New York	Broome	84	1951	2010
Iatan 2	6065_B_2	Missouri	Platte	850	2010	2010
Southwest	6195_B_2	Missouri	Greene	300	2010	2010
Trimble Station (LGE)	6071_B_2	Kentucky	Trimble	732	2010	2010
Elm Road Generating Station	56068_B_2	Wisconsin	Milwaukee	615	2010	2010
Clay Boswell	1893_B_3	Minnesota	Itasca	350	1973	2009
Asheville	2706_B_2	North Carolina	Buncombe	184	1971	2009
Conesville	2840_B_4	Ohio	Coshocton	780	1973	2009
Marshall	2727_B_3	North Carolina	Catawba	657	1969	2009
St Johns River Power Park	207_B_1	Florida	Duval	626	1987	2009
Ghent	1356_B_2	Kentucky	Carroll	469	1977	2009
Chalk Point LLC	1571_B_1	Maryland	Prince George's	341	1964	2009
Chalk Point LLC	1571_B_2	Maryland	Prince George's	342	1965	2009
San Juan	2451_B_2	New Mexico	San Juan	320	1973	2009
Big Bend	645_B_BB01	Florida	Hillsborough	411	1970	2009
Big Bend	645_B_BB02	Florida	Hillsborough	391	1973	2009
Big Bend	645_B_BB03	Florida	Hillsborough	414	1976	2009
Nebraska City Unit 2	6096_B_2	Nebraska	Otoe	663	2009	2009
Cross	130_B_4	South Carolina	Berkeley	652	2009	2009
Springerville	8223_B_4	Arizona	Apache	400	2009	2009
Sandow 5	82010_B_5	Texas	Milam	600	2009	2009
Oak Grove	82011_B_1	Texas	Robertson	800	2009	2009
Oak Grove	82011_B_2	Texas	Robertson	800	2009	2009
TS Power Plant	82013_B_1	Nevada	Eureka	200	2009	2009
Plum Point Energy	82014_B_1	Arkansas	Mississippi	665	2009	2009
Comanche	470_B_3	Colorado	Pueblo	750	2009	2009
Elm Road Generating Station	56068_B_1	Wisconsin	Milwaukee	615	2009	2009
Two Elk Generating Station	55360_B_1	Wyoming	Campbell	300	2009	2009
J K Spruce	7097_B_BLR2	Texas	Bexar	750	2009	2009
Dallman	963_B_34	Illinois	Sangamon	200	2009	2009
AES Greenidge LLC	2527_B_4	New York	Yates	27	1950	2008
AES Greenidge LLC	2527_B_5	New York	Yates	27	1950	2008
AES Greenidge LLC	2527_B_6	New York	Yates	106	1953	2008
Charles R Lowman	56_B_2	Alabama	Washington	238	1979	2008
Charles R Lowman	56_B_3	Alabama	Washington	238	1980	2008
Barry	3_B_5	Alabama	Mobile	750	1971	2008
St Johns River Power Park	207_B_2	Florida	Duval	626	1988	2008
Morgantown Generating Plant	1573_B_2	Maryland	Charles	620	1971	2008

Bailly	995_B_7	Indiana	Porter	160	1962	2008
San Juan	2451_B_1	New Mexico	San Juan	322	1976	2008
San Juan	2451_B_3	New Mexico	San Juan	495	1979	2008
Weston	4078_B_4	Wisconsin	Marathon	519	2008	2008
AES Deepwater	10670_B_AAB001	Texas	Harris	140	1986	2007
La Cygne	1241_B_1	Kansas	Linn	724	1973	2007
Morgantown Generating Plant	1573_B_1	Maryland	Charles	624	1970	2007
PSEG Hudson Generating Station	2403_B_2	New Jersey	Hudson	583	1967	2007
San Juan	2451_B_4	New Mexico	San Juan	506	1982	2007
Big Bend	645_B_BB04	Florida	Hillsborough	457	1985	2007
Cross	130_B_3	South Carolina	Berkeley	620	2007	2007
Wygen II	55479_B_4	Wyoming	Campbell	90	2007	2007
Council Bluffs	1082_B_4	Iowa	Pottawattamie	790	2007	2007

### SO2 Controls (FGDs, 2007 – 2012)

Plant Name	UniqueID_Final	State Name	County	Capacity MW	On Line Year	Scrubber Online Year
James H Miller Jr	6002_B_1	Alabama	Jefferson	684	1978	2011
James H Miller Jr	6002_B_2	Alabama	Jefferson	687	1985	2011
James H Miller Jr	6002_B_3	Alabama	Jefferson	687	1989	2011
James H Miller Jr	6002_B_4	Alabama	Jefferson	688	1991	2011
Cape Fear	2708_B_5	North Carolina	Chatham	143	1956	2011
Baldwin Energy Complex	889_B_1	Illinois	Randolph	624	1970	2011
Baldwin Energy Complex	889_B_2	Illinois	Randolph	629	1973	2011
Baldwin Energy Complex	889_B_3	Illinois	Randolph	629	1975	2011
Scherer	6257_B_3	Georgia	Monroe	875	1987	2011
Milton R Young	2823_B_B1	North Dakota	Oliver	250	1970	2011
W H Sammis	2866_B_6	Ohio	Jefferson	630	1969	2011
W H Sammis	2866_B_7	Ohio	Jefferson	630	1971	2011
PSEG Hudson Generating Station	2403_B_2	New Jersey	Hudson	583	1967	2011
John Sevier	3405_B_1	Tennessee	Hawkins	176	1955	2011
John Sevier	3405_B_2	Tennessee	Hawkins	176	1955	2011
John Sevier	3405_B_3	Tennessee	Hawkins	176	1956	2011
John Sevier	3405_B_4	Tennessee	Hawkins	176	1957	2011
Beech Hollow Power Project	82704_B_1	Pennsylvania	Washington	272	2011	2011
Longview Power	82702_B_1	West Virginia	Monongalia	695	2011	2011
Cliffside	2721_B_6	North Carolina	Cleveland	800	2011	2011
AES Greenidge LLC	2527_B_4	New York	Yates	27	1950	2010
AES Greenidge LLC	2527_B_5	New York	Yates	27	1950	2010
Barry	3_B_5	Alabama	Mobile	750	1971	2010
E C Gaston	26_B_5	Alabama	Shelby	861	1974	2010
Warrick	6705_B_4	Indiana	Warrick	300	1970	2010
Coffeen	861_B_01	Illinois	Montgomery	340	1965	2010
Coffeen	861_B_02	Illinois	Montgomery	560	1972	2010
Cardinal	2828_B_3	Ohio	Jefferson	630	1977	2010
Brandon Shores	602_B_1	Maryland	Anne Arundel	643	1984	2010
Brandon Shores	602_B_2	Maryland	Anne Arundel	643	1991	2010
Monroe	1733_B_4	Michigan	Monroe	775	1974	2010
Cliffside	2721_B_5	North Carolina	Cleveland	550	1972	2010
Crystal River	628_B_4	Florida	Citrus	720	1982	2010
Bowen	703_B_1BLR	Georgia	Bartow	713	1971	2010

Crist	641_B_6	Florida	Escambia	302	1970	2010
Crist	641_B_7	Florida	Escambia	477	1973	2010
Clifty Creek	983_B_1	Indiana	Jefferson	217	1955	2010
Clifty Creek	983_B_2	Indiana	Jefferson	217	1955	2010
Clifty Creek	983_B_3	Indiana	Jefferson	217	1955	2010
Clifty Creek	983_B_4	Indiana	Jefferson	217	1955	2010
Clifty Creek	983_B_5	Indiana	Jefferson	217	1955	2010
Clifty Creek	983_B_6	Indiana	Jefferson	217	1956	2010
Chalk Point LLC	1571_B_1	Maryland	Prince George's	341	1964	2010
Chalk Point LLC	1571_B_2	Maryland	Prince George's	342	1965	2010
Dickerson	1572_B_1	Maryland	Montgomery	182	1959	2010
Dickerson	1572_B_2	Maryland	Montgomery	182	1960	2010
Dickerson	1572_B_3	Maryland	Montgomery	182	1962	2010
R E Burger	2864_B_7	Ohio	Belmont	156	1955	2010
R E Burger	2864_B_8	Ohio	Belmont	156	1955	2010
Kyger Creek	2876_B_1	Ohio	Gallia	217	1955	2010
Kyger Creek	2876_B_2	Ohio	Gallia	217	1955	2010
Kyger Creek	2876_B_3	Ohio	Gallia	217	1955	2010
Kyger Creek	2876_B_4	Ohio	Gallia	217	1955	2010
Kyger Creek	2876_B_5	Ohio	Gallia	217	1955	2010
Cheswick	8226_B_1	Pennsylvania	Allegheny	580	1970	2010
PSEG Mercer Generating Station	2408_B_1	New Jersey	Mercer	315	1960	2010
PSEG Mercer Generating Station	2408_B_2	New Jersey	Mercer	310	1961	2010
Silver Lake	2008_B_4	Minnesota	Olmsted	61	1969	2010
Kingston	3407_B_1	Tennessee	Roane	135	1954	2010
Kingston	3407_B_2	Tennessee	Roane	135	1954	2010
Kingston	3407_B_3	Tennessee	Roane	135	1954	2010
Kingston	3407_B_4	Tennessee	Roane	135	1954	2010
Kingston	3407_B_5	Tennessee	Roane	177	1955	2010
Kingston	3407_B_6	Tennessee	Roane	177	1955	2010
Kingston	3407_B_7	Tennessee	Roane	177	1955	2010
Kingston	3407_B_8	Tennessee	Roane	177	1955	2010
Kingston	3407_B_9	Tennessee	Roane	178	1955	2010
Sioux	2107_B_1	Missouri	St. Charles	497	1967	2010
Sioux	2107_B_2	Missouri	St. Charles	497	1968	2010
Chesterfield	3797_B_5	Virginia	Chesterfield	310	1964	2010
Yorktown	3809_B_1	Virginia	York	159	1957	2010
AES Westover	2526_B_11	New York	Broome	22	1943	2010
AES Westover	2526_B_12	New York	Broome	22	1943	2010
AES Westover	2526_B_13	New York	Broome	84	1951	2010
Iatan 2	6065_B_2	Missouri	Platte	850	2010	2010
Southwest	6195_B_2	Missouri	Greene	300	2010	2010
Trimble Station (LGE)	6071_B_2	Kentucky	Trimble	732	2010	2010
Elm Road Generating Station	56068_B_2	Wisconsin	Milwaukee	615	2010	2010
Cholla	113_B_3	Arizona	Navajo	271	1980	2009
Mayo	6250_B_1A	North Carolina	Person	362	1983	2009
Mayo	6250_B_1B	North Carolina	Person	362	1983	2009
Conesville	2840_B_4	Ohio	Coshocton	780	1973	2009
G G Allen	2718_B_1	North Carolina	Gaston	162	1957	2009
G G Allen	2718_B_2	North Carolina	Gaston	162	1957	2009
G G Allen	2718_B_3	North Carolina	Gaston	260	1959	2009

G G Allen	2718_B_4	North Carolina	Gaston	275	1960	2009
G G Allen	2718_B_5	North Carolina	Gaston	265	1961	2009
H L Spurlock	6041_B_1	Kentucky	Mason	315	1977	2009
Crystal River	628_B_5	Florida	Citrus	717	1984	2009
Deerhaven Generating Station	663_B_B2	Florida	Alachua	228	1981	2009
Bowen	703_B_2BLR	Georgia	Bartow	718	1972	2009
Wansley	6052_B_2	Georgia	Heard	892	1978	2009
E W Brown	1355_B_1	Kentucky	Mercer	94	1957	2009
E W Brown	1355_B_2	Kentucky	Mercer	160	1963	2009
E W Brown	1355_B_3	Kentucky	Mercer	422	1971	2009
Ghent	1356_B_2	Kentucky	Carroll	469	1977	2009
Fayette Power Project	6179_B_1	Texas	Fayette	598	1979	2009
Fayette Power Project	6179_B_2	Texas	Fayette	598	1980	2009
Morgantown Generating Plant	1573_B_1	Maryland	Charles	624	1970	2009
Morgantown Generating Plant	1573_B_2	Maryland	Charles	620	1971	2009
PPL Brunner Island	3140_B_1	Pennsylvania	York	321	1961	2009
PPL Brunner Island	3140_B_2	Pennsylvania	York	378	1965	2009
Keystone	3136_B_1	Pennsylvania	Armstrong	850	1967	2009
Keystone	3136_B_2	Pennsylvania	Armstrong	850	1968	2009
Bull Run	3396_B_1	Tennessee	Anderson	881	1967	2009
Bay Shore	2878_B_4	Ohio	Lucas	215	1968	2009
Hatfields Ferry Power Station	3179_B_1	Pennsylvania	Greene	530	1969	2009
Hatfields Ferry Power Station	3179_B_2	Pennsylvania	Greene	530	1970	2009
Hatfields Ferry Power Station	3179_B_3	Pennsylvania	Greene	530	1971	2009
Nebraska City Unit 2	6096_B_2	Nebraska	Otoe	663	2009	2009
Cross	130_B_4	South Carolina	Berkeley	652	2009	2009
Springerville	8223_B_4	Arizona	Apache	400	2009	2009
Sandow 5	82010_B_5	Texas	Milam	600	2009	2009
Oak Grove	82011_B_1	Texas	Robertson	800	2009	2009
Oak Grove	82011_B_2	Texas	Robertson	800	2009	2009
TS Power Plant	82013_B_1	Nevada	Eureka	200	2009	2009
Plum Point Energy	82014_B_1	Arkansas	Mississippi	665	2009	2009
Comanche	470_B_3	Colorado	Pueblo	750	2009	2009
Elm Road Generating Station	56068_B_1	Wisconsin	Milwaukee	615	2009	2009
Two Elk Generating Station	55360_B_1	Wyoming	Campbell	300	2009	2009
J K Spruce	7097_B_BLR2	Texas	Bexar	750	2009	2009
Dallman	963_B_34	Illinois	Sangamon	200	2009	2009
Charles R Lowman	56_B_1	Alabama	Washington	86	1969	2008
John E Amos	3935_B_1	West Virginia	Putnam	800	1971	2008
John E Amos	3935_B_2	West Virginia	Putnam	800	1972	2008
Cholla	113_B_4	Arizona	Navajo	380	1981	2008
Roxboro	2712_B_1	North Carolina	Person	369	1966	2008
Roxboro	2712_B_3A	North Carolina	Person	341	1973	2008
Roxboro	2712_B_3B	North Carolina	Person	341	1973	2008
Miami Fort	2832_B_7	Ohio	Hamilton	500	1975	2008
Miami Fort	2832_B_8	Ohio	Hamilton	500	1978	2008
Cogentrix Virginia Leasing Corp	10071_B_2A	Virginia	Portsmouth	19	1988	2008
Cogentrix Virginia Leasing Corp	10071_B_2B	Virginia	Portsmouth	19	1988	2008
Cogentrix Virginia Leasing Corp	10071_B_2C	Virginia	Portsmouth	19	1988	2008
J M Stuart	2850_B_1	Ohio	Adams	585	1971	2008
J M Stuart	2850_B_2	Ohio	Adams	597	1970	2008

J M Stuart	2850_B_3	Ohio	Adams	597	1972	2008
J M Stuart	2850_B_4	Ohio	Adams	597	1974	2008
Monroe	1733_B_3	Michigan	Monroe	795	1973	2008
Belews Creek	8042_B_1	North Carolina	Stokes	1,115	1974	2008
Belews Creek	8042_B_2	North Carolina	Stokes	1,115	1975	2008
Bowen	703_B_3BLR	Georgia	Bartow	902	1974	2008
Bowen	703_B_4BLR	Georgia	Bartow	929	1975	2008
Hammond	708_B_1	Georgia	Floyd	112	1954	2008
Hammond	708_B_2	Georgia	Floyd	112	1954	2008
Hammond	708_B_3	Georgia	Floyd	112	1955	2008
Hammond	708_B_4	Georgia	Floyd	510	1970	2008
Wansley	6052_B_1	Georgia	Heard	891	1976	2008
Harding Street	990_B_70	Indiana	Marion	435	1973	2008
Cogentrix Hopewell	10377_B_1A	Virginia	Hopewell (city)	18	1987	2008
Cogentrix Hopewell	10377_B_1B	Virginia	Hopewell (city)	18	1987	2008
Cogentrix Hopewell	10377_B_1C	Virginia	Hopewell (city)	18	1987	2008
Ghent	1356_B_4	Kentucky	Carroll	478	1984	2008
Council Bluffs	1082_B_3	Iowa	Pottawattamie	690	1978	2008
PPL Brunner Island	3140_B_3	Pennsylvania	York	749	1969	2008
PPL Montour	3149_B_1	Pennsylvania	Montour	774	1972	2008
PPL Montour	3149_B_2	Pennsylvania	Montour	766	1973	2008
Comanche	470_B_1	Colorado	Pueblo	366	1973	2008
Comanche	470_B_2	Colorado	Pueblo	370	1975	2008
Cayuga	1001_B_2	Indiana	Vermillion	473	1972	2008
Winyah	6249_B_1	South Carolina	Georgetown	295	1975	2008
Winyah	6249_B_2	South Carolina	Georgetown	295	1977	2008
Winyah	6249_B_3	South Carolina	Georgetown	295	1980	2008
Chesterfield	3797_B_6	Virginia	Chesterfield	658	1969	2008
Brayton Point	1619_B_1	Massachusetts	Bristo	243	1963	2008
Brayton Point	1619_B_2	Massachusetts	Bristo	244	1964	2008
Weston	4078_B_4	Wisconsin	Marathon	519	2008	2008
Gorgas	8_B_10	Alabama	Walker	690	1972	2007
Gorgas	8_B_8	Alabama	Walker	165	1956	2007
Gorgas	8_B_9	Alabama	Walker	175	1958	2007
John E Amos	3935_B_3	West Virginia	Putnam	1,300	1973	2007
Mountaineer	6264_B_1	West Virginia	Mason	1,300	1980	2007
Cardinal	2828_B_1	Ohio	Jefferson	600	1967	2007
Cardinal	2828_B_2	Ohio	Jefferson	600	1967	2007
Roxboro	2712_B_2	North Carolina	Person	639	1968	2007
Roxboro	2712_B_4A	North Carolina	Person	343	1980	2007
Roxboro	2712_B_4B	North Carolina	Person	343	1980	2007
Cogentrix Virginia Leasing Corp	10071_B_1A	Virginia	Portsmouth	19	1988	2007
Cogentrix Virginia Leasing Corp	10071_B_1B	Virginia	Portsmouth	19	1988	2007
Cogentrix Virginia Leasing Corp	10071_B_1C	Virginia	Portsmouth	19	1988	2007
Killen Station	6031_B_2	Ohio	Adams	615	1982	2007
Marshall	2727_B_2	North Carolina	Catawba	378	1966	2007
Marshall	2727_B_3	North Carolina	Catawba	657	1969	2007
Cogentrix Hopewell	10377_B_2A	Virginia	Hopewell (city)	18	1987	2007
Cogentrix Hopewell	10377_B_2B	Virginia	Hopewell (city)	18	1987	2007
Cogentrix Hopewell	10377_B_2C	Virginia	Hopewell (city)	18	1987	2007
Ghent	1356_B_3	Kentucky	Carroll	478	1981	2007

Louisa	6664_B_101	Iowa	Louisa	700	1983	2007
Allen S King	1915_B_1	Minnesota	Washington	571	1968	2007
Mitchell	3948_B_1	West Virginia	Marshall	800	1971	2007
Gibson	6113_B_1	Indiana	Gibson	630	1975	2007
Gibson	6113_B_2	Indiana	Gibson	628	1975	2007
Winyah	6249_B_4	South Carolina	Georgetown	270	1981	2007
Pleasant Prairie	6170_B_2	Wisconsin	Kenosha	617	1985	2007
Cross	130_B_3	South Carolina	Berkeley	620	2007	2007
Wygen II	55479_B_4	Wyoming	Campbell	90	2007	2007
Council Bluffs	1082_B_4	Iowa	Pottawattamie	790	2007	2007

### Assumed BART Facilities and Units

State	County	Fac ID	Facility Name	Unit ID
MI	Bay	B2840	CE - KARN/WEADOCK	EU00036
MI	Bay	B2840	CE - KARN/WEADOCK	EU00037
MI	Eaton	B4001	LAN. BW&L ERICKSON	EU00007
MI	Houghton	B6553	UP POWER CO / PORTAGE	EU00008
MI	Huron	B2815	DTE - HARBOR BEACH	EU00009
MI	Ingham	B2647	LAN. BW&L Eckert	RG00023
MI	Ingham	B2647	LAN. BW&L Eckert	RG00023
MI	Ingham	B2647	LAN. BW&L Eckert	RG00023
MI	Ingham	B2647	LAN. BW&L Moores Park	RG00021
MI	Marquette	B4261	WE-ENERGIES	EU00029
MI	Marquette	B4261	WE-ENERGIES	EU00030
MI	Marquette	B4261	WE-ENERGIES	EU00031
MI	Marquette	B4261	WE-ENERGIES	EU00032
MI	Marquette	B4261	WE-ENERGIES	EU00033
MI	Monroe	B2816	DTE - MONROE	EU00062
MI	Monroe	B2816	DTE - MONROE	EU00068
MI	Monroe	B2816	DTE - MONROE	EU00063
MI	Monroe	B2816	DTE - MONROE	EU00064
MI	Ottawa	B2835	CE – CAMPBELL	EU00062
MI	Ottawa	B2835	CE – CAMPBELL	EU00061
MI	Saint Clair	B2796	DTE - ST. CLAIR / BELLE RIVER	EU00111
MI	Saint Clair	B6145	DTE – GREENWOOD	EU00009
MI	Wayne	B2132	WYANDOTTE	EU00036
MI	Wayne	B2185	DETROIT PLD, MISTERSKY	EU00014
MI	Wayne	B2811	DTE – TRENTON	EU00035
OH	Lake	0243160009	CEI., EASTLAKE PLANT	B005
OH		0247030013	Orion Power Midwest	B012
OH		0285010188	Dept of Public Utilities, City of Orrville	B001
OH		0285010188	Dept of Public Utilities, City of Orrville	B004
OH		0448020006	Toledo Edison Co., Bay Shore	B003
OH		0448020006	Toledo Edison Co., Bay Shore	B004
OH		0616000000	Conesville Power Plant	B003
OH		0616000000	Conesville Power Plant	B004
OH		0616000000	Conesville Power Plant	B007
OH		0641050002	Cardinal Power Plant	B001
OH		0641050002	Cardinal Power Plant	B002

OH		0641050002	Cardinal Power Plant	B003
OH		0641050002	Cardinal Power Plant	B004
OH		0641050002	Cardinal Power Plant	B008
OH		0641050002	Cardinal Power Plant	B009
OH		0641050002	Cardinal Power Plant	B009
OH	Jefferson	0641160017	W. H. SAMMIS PLANT	B011
OH	Jefferson	0641160017	W. H. SAMMIS PLANT	B012
OH	Jefferson	0641160017	W. H. SAMMIS PLANT	B013
OH		0684000000	Muskingum River Power Plant	B006
OH	Adams	0701000007	DP&L, J.M. Stuart Generating Station	B001
OH	Adams	0701000007	DP&L, J.M. Stuart Generating Station	B002
OH	Adams	0701000007	DP&L, J.M. Stuart Generating Station	B003
OH	Adams	0701000007	DP&L, J.M. Stuart Generating Station	B004
OH		0701000060	DP&L, Killen Station	B001
OH		1409040243	City of Hamilton Dept of Public Utilities	B002
OH		1409040243	City of Hamilton Dept of Public Utilities	B008
OH		1409040243	City of Hamilton Dept of Public Utilities	B009
OH		1413100008	CG&E W. C. BECKJORD	B005
OH		1413100008	CG&E W. C. BECKJORD	B006
OH		1431350093	CG&E MIAMI FORT STATION	B015
IL	Peoria	856	Ameren – Edwards	2
IL	Sangamon	963	CWLP – Dallman	31
IL	Sangamon	963	CWLP – Dallman	32
IL	Christian	876	Dominion – Kincaid	1
IL	Christian	876	Dominion – Kincaid	2
WI	COLUMBIA	111003090	Alliant Energy-Columbia Generating	B20
WI	COLUMBIA	111003090	Alliant Energy-Columbia Generating	B21
WI	COLUMBIA	111003090	Alliant Energy-Columbia Generating	B22
WI	GRANT	122014530	Alliant Energy, Nelson Dewey	B22 (unit 2)
WI	MILWAUKEE	241007690	We Energies-Oak Creek Station	B26 (Unit 6)
WI	MILWAUKEE	241007690	We Energies-Oak Creek Station	B27 (Unit 7)
WI	MILWAUKEE	241007690	We Energies-Oak Creek Station	B28
WI	MILWAUKEE	241007800	We Energies-Valley Station	B21
WI	MILWAUKEE	241007800	We Energies-Valley Station	B23
WI	MILWAUKEE	241007800	We Energies-Valley Station	B24
WI	BROWN	405031990	WI Public Service Corp - JP Pulliam	B27 (unit 8)
WI	SHEBOYGAN	460033090	WP & L Alliant Energy – Edgewater	B24
WI	BUFFALO	606034110	Dairyland Power Coop Alma Station (J.P. Madgett boilers)	B25 (+B26)
WI	BUFFALO	606034110	Dairyland Power Coop Alma Station	B27
WI	VERNON	663020930	Dairyland Power Coop Genoa Station	B20
WI	VERNON	663020930	Dairyland Power Coop Genoa Station	B25
IN	Porter	995	Bailly	7
IN	Porter	995	Bailly	8
IN	Vermillion	1001	Cayuga	1
IN	Vermillion	1001	Cayuga	2
IN	Montgomery	1024	Crawfordsville	6
IN	Warrick	1012	Culley	2

IN	Warrick	1012	Culley	3
IN	Gibson	6113	Gibson	1
IN	Gibson	6113	Gibson	2
IN	Cass	1032	Logansport	6
IN	Sullivan	6213	Merom	1
IN	Sullivan	6213	Merom	2
IN	LaPorte	997	Michigan City	12
IN	Lake	996	Mitchell	11
IN	Pike	994	Petersburg	1
IN	Pike	994	Petersburg	2
IN	Pike	994	Petersburg	3
IN	Pike	1043	Ratts	1
IN	Pike	1043	Ratts	2
IN	Wayne	7335	RPL	2
IN	Jasper	6085	Schahfer	14
IN	Jasper	6085	Schahfer	15
IN	Lake	981	Stateline	4
IN	Marion	990	Stout	70
IN	Dearborn	988	Tanners Creek	4
IN	Vigo	1010	Wabash River	6
IN	Warrick	6705	Warrick	4
IA		07-02-005	Cedar Falls Utilities	Unit #7 (EU10.1A)
IA		88-01-004	Central Iowa Power Cooperative (CIPCO) – Summit Lake Station	CombTurbines (EU 1/1G, EU2/2G)
IA		70-08-003	Central Iowa Power Cooperative (CIPCO) – Fair Station	Unit # 2 (EU 2 & EU 2G)
IA		85-01-006	City of Ames - Steam Electric Plant	Boiler #7 (EU 2)
IA		29-01-013	Interstate Power & Light - Burlington	Main Plant Boiler.
IA		03-03-001	Interstate Power & Light - Lansing	Boiler #4. Sixteen units in total.
IA		23-01-014	Interstate Power & Light - ML Kapp	Boiler #2. Six units in total.
IA		57-01-042	Interstate Power & Light - Prairie Creek	Boiler #4. Fourteen units in total.
IA		78-01-026	MidAmerican Energy Co - Council Bluffs	Boiler #3 (EU003)
IA		97-04-010	MidAmerican Energy Co - Neal North	Boilers #1-3 (EU001 - EU003)
IA		97-04-011	MidAmerican Energy Co - Neal South	Boiler #4 (EU003)
IA		70-01-011	Muscatine Power and Water	Boiler #8
IA		63-02-005	Pella Municipal Power Plant	Boilers #6-8
MN		2709900001	Austin Utilities NE Power Station	EU001
MN		2713700027	Hibbing Public Utilities	EU003
MN		2703100001	MN Power, Taconite Harbor	EU003
MN		2706100004	MN Power, Boswell Energy Center	EU003
MN		2701500010	New Ulm Public Utilities	EU003 - Boiler 4
MN		2711100002	Otter Tail Power Hoot Lake	EU003
MN		2710900011	Rochester Public Utilities, Silver Lake	EU003
MN		2710900011	Rochester Public Utilities, Silver Lake	EU004
MN		2713700028	Virginia Public Utilities	EU003 - Boiler 9
MN		2714100004	Xcel Energy, Sherco	EU001, EU002
MN		2716300005	Xcel Energy, Allen S King	EU001 - Boiler 1

MN		2705300015	Xcel Energy, Riverside	EU003 - Boiler 8
MO		290710003	Ameren -Labadie	B1, B2, B3, B4
MO		291830001	Ameren - Sioux	B1, B2
MO		290990016	Ameren - Rush Island	B1, B2
MO		290950031	Auila - Sibley	B3 - 5C
MO		291430004	Assoc. Electric - New Madrid	B1(EP-01), B2 (EP-02)
MO		290770039	City Utilities Springfield - Southwest	B1 (E09)
MO		290770005	City Utilities Springfield - James River	EO7, EO8
MO		290970001	Empire Districe Electric - Asbury	B7
MO		290830001	KC Power and Light - Montrose	EP08
MO		290210004	Aquila - Lake Road	EP06
MO		291750001	Assoc. Electric - Thomas Hill	EP01, EP02
MO		290950021	Trigen - Kansas City	B1A
MO		290190002	City of Columbia Municipal Power Plant	EP02
MO		291950010	Marshall Municipal Utilities	EP05
MO		290950050	Independence Power & Light-Blue Valley	B3 (EP05)
WV		3943	Fort Martin	
WV		6004	Pleasants	
WV		3948	Mitchell	
WV		3935	Amos	
WV		6264	Mountaineer	
WV		3944	Harrison	
TN		3396	TVA Bull Run	
TN		3399	TVA Cumberland	
KY		1363	Cane Run	
KY		1364	Mill Creek	
KY		6041	Spurlock	
KY		1384	John Sherman Cooper	
KY		1353	Big Sandy	
KY		1356	Ghent	
KY		1355	Brown	
KY		1374	Owensboro Municipal	
KY		1372	Henderson Municipal	
KY		1378	Paradise	
KY		1361	Coleman	
KY		1382	Reid/Henderson 2	
KY		6639	Green	