

ENERGY AND ENVIRONMENT CABINET

DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WASTE MANAGEMENT
300 SOWER BLVD, 2ND FLOOR
FRANKFORT, KY 40601
TELEPHONE NUMBER (502) 564-6716

Application For A Special Waste Composting Facility Permit DEP 7094D (5/92)

GENERAL INFORMATION

- 1. USE OF THIS APPLICATION This application form must be completed and submitted to the Cabinet by persons who compost special waste for distribution.
- 2. PREPARATION ASSISTANCE Questions regarding this form may be directed in writing to the Division of Waste Management, Solid Waste Branch at the address listed above, or by calling (502) 564-6716.
- 3. SUBMISSION Please type or print legibly in permanent ink. Submit the original and three (3) copies of the completed form to the Division of Waste Management at the address listed above. If an item is not applicable to your facility write "N/A" in the space provided.

4.	LAWS AND	REGULATIONS - Applicants are expected to understand	nd and comply
	with all laws	and regulations applicable to special waste composting.	Reference 401
	KAR 45:100.		

Type of permit application:	New Application	Modification



APPLICATION FOR A SPECIAL WASTE COMPOSTING FACILITY PERMIT

DEP 7094D (5/92)

- A. General Information
- B. Ownership and Past Performance
- C. Waste Information ___
- D. Facility and Operating Information
- E. Surface Water, Groundwater, and Corrective Action
- F. Public Notices
- G. Certification

DEP	7094D (5/92)
	MIT NUMBER:(FOR AGENCY USE ONLY)
A.	GENERAL INSTRUCTIONS
WAS:	TE CLASSIFICATION: TYPE A TYPE B
1.	Name of Applicant
	Address
	CityStateZip Code
	Telephone Number (
_	Contact Person
2.	Location of Facility
	CityStateZip Code
	Telephone Number ()
	Contact Person at Facility
3.	Provide the following information concerning the person preparing this application if different from above:
	Name
	Address
	CityStateZip Code
	Telephone Number ()
4.	Designate the individual to whom correspondence concerning this application should be addressed:
	Name
	Address
	CityStateZip Code

•

•

Ind:	cate by checking the appropriate blank, the lonizational structure of the applicant.	egal
	Proprietorship	
·	PartnershipGeneralLim	ited
	Corporation	
	Joint venture	
	Governmențal agency. Type	lerai)
	Other. Describe:	

3. For the applicant and each person meeting the definition of key personnel, provide a Past Performance Information form as required by KRS 224.40-330 (1) and (3). The Cabinet has developed form DEP 7094J for submittal of this information. Complete this form and include it as part of this application as Attachment 9.

NOTE: DEP Form No. 7094J may be obtained by contacting the Division of Waste Management at the address specified on the "General Instructions" page of this application.

Contact Person _____

Waste to be received

:			<i>;</i> ·
	•		
	DEP	7094D (5/92)	
		d. Name	
		Address	
		CityStateZip Code	
	•	Telephone Number ()	
		Contact Person	
• :		Waste to be Received	
	2.	State the daily design capacity of the waste source if a wastewater treatment plant:	٠.
. •		a(MGD)	
		b(MGD)	•
		C. (MGD)	
		d. (MGD)	
• .	3.	State the approximate amount of waste generated each year:	
		a Tons	
		b. Tons	
		c. Tons	· .
	•	d. Tons	·
	4.	Does the wastewater treatment plant(s) have an approved pretreatment program?	
•		a. Yes_ No_	
	•	b. Yes No	
		c. YesNo	
		d. YesNo	

•

				-	disposal			
TYPE C	OF 1	PERMIT	PERMIT	NUMBER	DA	TE	APPROVED	
					_			
								-
					_			
								

- 6. Special waste to be composted shall be classified as either Type A or Type B, in accordance with 401 KAR 45:100. Analyses must include the following parameters: pH, % Total Solids, % Volatile Solids, Total Kjeldahl, Nitrogen, Ammonium Nitrogen, Total Phosphorus, Total Potassium, Cadmium, Copper, Lead, Nickel, Zinc, and PCBs. Provide the actual laboratory analysis as Attachment 1.
- 7. Provide a copy of the actual TCLP laboratory analysis of the waste as Attachment 2, showing the waste will pass the Toxicity Characteristic Leaching Procedure.

Note: You may omit this analysis or specific parameters of this analysis based on your knowledge of the waste pursuant to 40 CFR 262.11. If you elect to do this a certified statement accepting responsibility is required. Polychlorinated Biphenyls (PCBs) may also be omitted from this standard sludge analysis under a similar certification. Label the certified statement as Attachment 2.

D. FACILITY AND OPERATING INFORMATION

- 1. Provide, as Attachment 3, an enlarged topographic map of a scale one (1) inch equals four hundred (400) feet clearly marking the proposed layout and the boundary of the composting site.
- 2. Provide, as Attachment 4, a detailed narrative describing the following:
 - (a) The proposed composting system including the manufacturer's performance data for mechanical systems;

- (b) The process design that describes the following:
 - 1. Use of bulking agents, moisture control, or feed amendments;
 - Temperature ranges and residence times;
 - 3. Storage of compost during curing after the primary composting operation; and
 - 4. Provisions for additional drying and screening;
- (c) Description of closure procedures for the site.
- 3. Provide, as Attachment 5, a marketing and distribution plan; and specifications for the final product.

Note: If any fertilizer value or soil conditioning claims are made concerning the final product, you must notify the Division of Regulatory Services, College of Agriculture, University of Kentucky, Regulatory Services Building, Lexington, Kentucky 40546, in accordance with KRS Chapter 250.

- 4. Provide, as Attachment 6, a description of the methods that will be employed to ensure compliance with the environmental performance standards of 401 KAR 30:031.
- 5. Provide, as Attachment 7, (if Type A Facility) a description of the closure plan including a cost analysis for the posting of financial assurance in accordance with 401 KAR 45:080.
- 6. Provide, as Attachment 8, a groundwater quality assurance plan for the proposed facility.
- Applicants requesting a Type A permit shall comply with the public information procedures as required in 401 KAR 45:050.

			 <u>.</u>	
		-		
		_		
		· ·		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		•
***************************************	•			

- 1. Submit as Attachment 9, a Surface Water Monitoring Plan as required by 401 KAR 45:110 and 401 KAR 45:160. At a minimum, the plan must include:
 - a. The proposed locations of the monitoring points shown on the site plans.
 - b. A written description of how the monitoring point locations ensure that sampling will characterize the quality of water unaffected by the composting facility, as well as determining if water leaving the composting facility as surface drainage is contaminated with leachate.
 - c. A description of sampling protocol and analytical parameters.
 - d. A monitoring schedule and list of analytical parameters.
 - e. A sample form for reporting results of the analyses to the Division.
 - f. Documentation that the applicant currently holds or has applied for a K.P.D.E.S. permit for all structures to be used to control stormwater run-off and all point source discharges.

- g. Provide the information requested in Attachment 9A, concerning location of the monitoring points.
- 2. Submit as Attachment 10, a Groundwater Monitoring Plan that meets the requirements of 401 KAR 45:110 and 401 KAR 45:160. At a minimum that plan must provide the following information:
 - a. A list and description of the specific aquifer(s) proposed for monitoring.
 - b. The number, location, and depth of proposed monitoring points. Show the locations of the monitoring points on the site plans.
 - c. Provide a brief discussion of the groundwater quality that currently exists based on the Groundwater Quality Characterization required in 401 KAR 45:160.
 - d. Provide a Groundwater Sampling and Analysis Plan which describes the procedures and techniques designed to accurately measure groundwater quality upgradient and downgradient of the waste disposal area. Include a discussion regarding the chain of custody, as well as field and lab quality assurance and quality control.
 - e. Provide a monitoring schedule and list of analytical parameters in accordance with 401 KAR 45:160 Section 8.
 - f. Provide monitoring well construction sepcifications which meet the requirements of 401 KAR 45:160 Section 3.
 - g. Is the proposed special waste disposal site located in karst terrain? _____Yes _____No

If yes, the groundwater monitoring plan must include dye trace studies to determine the nature and extent of karst drainage beneath the site and proposed monitoring locations.

h. Provide the information requested in Attachment 10A, concerning proposed well locations and depth.

DEP	7094D	(5/92)					٠	•
F.	PUBLIC	NOTICES						
-	expansi 310. Complet applica	on to an Draft not e the p	ere requirexisting tices are ublic no fied by concess.	site in found tice fo	accordance in Attach rms; howe	e with ments ever,	KRS 224 11 and only	4.40- 1 12. those
G.	CERTIFI	CATION						.
	prepare submitt	d under m ed is, to	t this d y directi o the bes omplete."	on or su	pervision	. The	inform	ation
	Signatur	of Author	ized Agent_	·.			ate	
			gent			•		
					(IYPE OR PRIM	0		
	Titlė			<u> </u>				
•	Subscri	bed and s	worn to be	efore me	by			
	this th	e	day of	·			19	•
	***		nature					
			oires					

ATTACHMENT 9A

SURFACE WATER MONITORING PLAN

Provide the information requested below:

Monitoring Station I.D.	Location Description	Latitute	¥.	Longitude
				_
· .			. •	
,		•		
			· · .	
	· .	•		
		·. •	. Th	

Attachment 10A

GROUNDWATER MONITORING WELL

LOCATION AND DEPTH

Provide the information requested in the chart below:

		<u> </u>	···	·
				HONITORING STATION I.D.
	•			LATITUDE
:		•		LONGITUDE
•		· .		STATION TYPE WELL OR SPRING
				AQUIFER
		•		ELEVATION OF SPRING OR TOP OF WELL CASING
		· ·		DEPTH OF WELL
	•			DEPTH OF WATER

Attachment 11

PUBLIC NOTICE

Pursuant to applicati	on no						
The Energy and Environment Cabin	The Energy and Environment Cabinet, Division of Waste Management has received a						
special waste composting facility p	ermit application from:						
Name of Applicant							
	State Zip Code						
accept the following types of waste	d allow the construction of the composting facility to and the following activities:						
The proposed facility may be access	esed from						
by traveling							
Additional information regarding the Contact Person	nis application may be obtained from:						
	State Zip Code						
Phone No. ()							

The permit application is being processed at the following location:

Division of Waste Management Solid Waste Branch 200 Fair Oaks Frankfort, KY 40601

Within thirty (30) days of the publication of this notice, any person who wishes to comment on the application may submit written comments, and, if desired, request from the Cabinet a public meeting.

Please refer to Application No. ______ on all correspondence.

Publication pursuant to KRS 224.40-310.

Attachment 12

PUBLIC NOTICE

Pursuant to application no.	
The Energy and Environment Cabinet, Di	vision of Waste Management has received a
special waste composting facility permit a	application from, and has prepared a draft
permit for:	
Name of Applicant	
Address	
	State Zip Code
• • • • • • • • • • • • • • • • • • • •	the construction of the composting facility to e following activities:
The proposed facility may be accessed from	om
by traveling	
Additional information regarding this app	lication may be obtained from:
Contact Person	
Address	1
City	State Zip Code
Dhono No. (

All data submitted by the applicant and other documents concerning this application are			
available for public inspection during normal business hours at the following location: Office			
	ddress		
	ity		
The permit application is being processed at the following location:			
Di	ivision of Waste Management		
Sc	olid Waste Branch		
30	00 Sower Blvd		
Fr	rankfort, KY 40601		
A public hearing has been scheduled to receive public comments and will be conducted at the following location and time:			
Pl	ace		
A	ddress		
Ci	ity	State	Zip Code
Ft	rom	to	
Any person who wishes to comment on the draft permit decision for this special waste site or facility may file comments with the Cabinet and, if desired, request a public hearing with thirty (30) days of the publication of this notice pursuant to Section 6 of 401 KAR 45:050.			
Please rei	fer to Application No.	0	on all correspondence.
Publication pursuant to KRS 224.40-310.			