

Energy and Environment Cabinet

DEPARTMENT FOR ENVIRONMENTAL PROTECTION DIVISION OF WASTE MANAGEMENT

300 Sower Boulevard, Second Floor FRANKFORT, KENTUCKY 40601

ANNUAL LANDFARMING REVIEW **DEP** 7048 (November 2016)

GENERAL INSTRUCTIONS

SUBMISSIONS

Complete all required information at the top of each log sheet.

Application records will be inspected by the Division of Waste Management's Regional Office Personnel during landfarming field inspections.

COVER LETTER

Annual Reviews must be submitted with a cover letter from the applicant including the applicant name, permit number, county, the year, proposed cropping plan, that this is an annual review, what is included (required information for subplot 1,2,3,...), anything that has been left out and is forthcoming or any other points that will help clarify the enclosed information. Cover letter should be signed by the ranking elected official, principal executive officer, or/and other authorized person per 401 KAR 45:030 Section 10.

SLUDGE ANALYSIS

Include originals or copies of the actual sludge analysis from the laboratory. Applicant should inform labs that sludge should be analyzed wet and analysis reported in mg/l. Conversions from mg/l to mg/kg should be calculated by dividing % solids into mg/l.

SURFACE AND GROUNDWATER ANALYSIS

Submit the original or copies of the original lab sheets for surface and groundwater analysis (if monitoring is required by your permit), clearly designating them as either surface and groundwater and the location as to correlate with what is shown in the original application.

ANNUAL LANDFARMING REVIEW

Complete this form using an average or your sludge analysis for the year (yearly, by-yearly, quarter or monthly) based on your sampling frequency required by your permit. You need only submit one copy of this form.

SLUDGE APPLICATION SUMMARY:

All Subplots which received sludge during the monitoring year should be listed along with the grand total sludge applied, the annual application rate per acre and the approved rate per acre.

LANDFARMING APPLICATION LOG:

Begin a log sheet for each subplot by waste generator source on the date the sludge sample is submitted for analysis at the beginning of the monitoring year. Record the date of application quantity, hauler's initials and date of corresponding sludge analysis.

On the date the next sludge sample is submitted for analysis, tally the grand total sludge applied and circle the total in red. Record the total application quantity and waste generator source on the metals historical sheet, and calculate the metals loading rate using Metals Concentration Conversion Sheet for each generator of sludge hauled during the monitoring period. Record the application quantity on the Nitrogen Utilization Sheet and calculate the nitrogen loading.

Continue to use the same log sheet(s) for the entire monitoring year. If more than one sheet is needed, label la, lb, etc.

METALS CONCENTRATION CONVERSION SHEET:

Use the appropriate sheet (we or dry sludge) based on the type sludge aplied.

METALS HISTORICAL:

Record answers calculated per monitoring period and total at the bottom of sheet.

RISIDUAL NITROGEN WORKSHEET:

You will need to complete this form even if it is the first year's application. Use the residual nitrogen calculated, on the worksheet for calculating application rates, but not on the nitrogen balance sheet (if first year). If sludge has been applied in the past, transfer these numbers to the nitrogen balance sheet.

NITROGEN BALANCE SHEET:

See "Residual Nitrogen Worksheet" above.

WORKSHEETS FOR CALCULATING APPLICATION RATES:

Complete this form using yearly averages brought over from the Landfarming Review Sheet. This sheet is used to calculate average application rate for the upcoming year for each subplot/crop.

SOIL ANALYSIS:

The last page for each subplot should be the soil analysis. Submit an original or copy of the original lab sheet for the particular subplot.

Annual Landfarming Review

LANDFARMING SLUDGE DATA

Perm	ittees Name		
	ge Source		
	ess		
			Zip Code
SLUI	OGE QUALITY		
1.	on sampling frequency):	hata.	ean value of sludge analysis based
	Date (s) of Sampling		
	Type of Sample DGrab DCompo	site	
	рĦ		
	*Total Solid		ŧ
	*Volatile Solids		ŧ
	*Total Potassium		(ppm:)
	*Total Phosphorus		(ppm:)
	*Kjeldahl Nitrogen		(ppm:)
	* Ammonium Nitrogen (NH,-N)		(ppm:)
	* Nitrate Nitrogen (NO,-N)		(ppm:)
	Cadmium (Cd)		mg/1mg/kg
	Copper (Cu)		mg/1mg/kg
	Lead (Pb)		mg/lmg/kg
	Nickel (Ni)		mg/1mg/kg
	Zinc (Zn)		mg/lmg/kg
	Chromium (Cr)		mg/lmg/kg
	Polychlorinated Biphenyls (F	CBs)	mg/kg
	(Submit a	copy of the	actual lab analysis sheets)

Name of Testing Laboratory_		
Mailing Address		
City	State	Zip Code
Phone ()		

SLUDGE APPLICATION SUMMARY

Frequency of Sludge Analysis: (Circle One) Yearly, Bi-Yearly, Quarterly, Monthly
PERMIT NO._____

PERMIT NO.					
SUB-PLOT NUMBER	GRAND TOTAL SLUDGE APPLIKD (TONS OR GALLONS)	TOTAL AMOUNT PER ACRE (TONS OR GALLONS)	APPROVED RATE PER ACRE (TONS OR GALLONS)		
	,				
in against an					

LANDFARMING APPLICATION LOG

WASTE GENERATOR SOU	JRCE:_		-
SUB-PLOT NUMBER:		ACREAGE:	-)
MONITORING YEAR:		PERMIT NUMBER:	

Date	Application Quantity	Hauler's Initials	Date of Analysis
4			
			na n
			10
		(4)	

Metals Concentration Conversion

Liquid Sludge

Permit	Number	Sub-Plot Numb	er
Cd	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CdApplied
Си	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CuApplied
Pb	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of PhApplied
Ni	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of NiApplied
Zn	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of ZnApplied
Cđ	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CdApplied
Cu	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CuApplied
Pb	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of PbApplied
Ni	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of NiApplied
Zn	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of ZnApplied
Cđ	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CdApplied
Cu	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CuApplied
Pb	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of PbApplied
Ni	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of NiApplied
Zn	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of ZnApplied
Cd	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CdApplied
Си	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of CuApplied
Pb	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of PhApplied
Ni	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of NiApplied
Zn	mg./lx8.34x(gal-1,000,000gal.)=	lbs.of ZnApplied

^{**}Lbs. of metal applied + Subplot acreage = Lbs/. of metal/acre**

Metals Concentration Conversion

Permit:	Number	Sub-Plot Number	
		Dry Sludge	
Cd	mg./kg x	tons sludge x.002=lbs.of Cd A	pplied
Cu	mg./kg x	tons sludge x.002=lbs.of Cu A	pplied
Pb	mg./kg x	tons sludge x.002=lbs.of Pb A	pplied
Ni	mg./kg x	tons sludge x.002=lbs.of Ni A	pplied
zn	mg./kg x	tons sludge x.002=lbs.of Zn A	pplied
Cd	mg./kg x	tons sludge x.002=lbs.of Cd A	pplied
Cu	mg./kg x	tons sludge x.002=lbs.of Cu A	pplied
Pb	mg./kg x	tons sludge x.002=lbs.of Pb A	pplied
Ni	mg./kg x	tons sludge x.002=lbs.of Ni A	pplied
Zn	mg./kg x	tons sludge x.002=lbs.of Zn A	pplied
Cd	mg./kg x	tons sludge x.002=lbs.of Cd A	pplied
Cu	mg./kg x	tons sludge x.002=lbs.of Cu A	pplied
Pb	mg./kg x	tons sludge x.002=lbs.of Pb A	pplied
Ni	mg./kg x	tons sludge x.002= lbs.of Ni A	pplied
Zn	mg./kg x	tons sludge x.002=lbs.of Zn A	pplied
1			
	7.00 11.00 3.00	tons sludge x.002=lbs.of Cd A	
Cu	mg./kg x	tons sludge x.002=lbs.of Cu A	pplied
Pb	mg./kg x	tons sludge x.002=lbs.of Pb A	pplied
Ni	mg./kg x	tons sludge x.002=lbs.of Ni A	pplied
Zn	mg./kg x	tons sludge x.002= lbs.of Zn A	pplied

RBSIDUAL NITROGEN WORKSHEET TABLE 1 Residual Nitrogen

	Orga	nic N	<u> Iitrog</u>	en Co	ntent	of Sl	<u>udqe</u>
	2.0	2.5	3.0	3.5	4.0	4.5	
Years Since Last Application	Lbs.N	relea	sed pe	r ton	of slu	dqe app	lied
1	1.0	1.2	1.4	1.7	1.9	2.2	
2	0.9	1.2	1.4	1.6	1.8	2.1	
3	0.9	1.1	1.3	1.5	1.7	2.0	
Calculations should be done sludge	for e	ach s	ub-pl	ot wh	ich h	as rec	eived
One year ago:							
Lbs. of Nitrogen release applied = Residual N (one yea		ton	of sl	udge	x ton	s of s	ludge
		Re	sidua	1 N (one y	ear)	
Two years ago:							
Lbs. of Nitrogen release applied = Residual N (two yea		ton	of sl	udge	x ton	s of s	ludge
x=		Re	sidua	l N	two y	ears)	
Three years ago:							
Lbs. of Nitrogen release applied = Residual N (three y			of sl	udge	x ton	s of s	ludge
<u> </u>		Re	sidua	1 N (three	years)
Total Residual Nitrogen:	S#E						
Residual N (one year) + Residu years) = Total Residual Nitro		(two	years	s) + F	Residu	al N (three
++			=To	otal 1	Residu	al Nit	roger
NOTE; TO CALCULATE RESIDUAL FIND THE ORGANIC NITROGEN CON							

TO YOUR PREVIOUS ANNUAL REVIEW.

WORKSHEET FOR CALCULATING APPLICATION RATES

SLUDGE COMPOSITION (Parameter	in ppm ÷ 10,000 = %)
Total Kjeldahl Nitrogen (TKN)	÷10,000=
Ammonium Nitrogen (NH4-N)	÷10,000=
Nitrate Nitrogen (NO3-N)	÷10,000=
Total Phosphorus	÷10,000=
Total Potassium	÷10,000=
Percent Available Organic Nitrog	ren = (%TKN) - (%NH4-N) - (%NO3-
) - ()
Available Nitrogen in waste:	
(a) Incorporation:	
(%NH₄Nx20) + (%NO₃Nx20) + (%avai available N/ton	lable organic $N \times 4$) = 1
(x20) + (x20)) + (<u>x4</u>) =
lbs. available N/ton	
(b) Surface Application:	
$(%NH_4Nx10) + (%NO_3Nx20) + (%avai available N/ton$	lable organic $N \times 4$) = li
(x20) + (x4) lbs. available N/ton	=1DS. =

DEP	7048 (November 2016)
4.	Annual Application Rate:
	<pre>(a) (Crop N requirement - Residual N)/Acre ÷ lbs. available N/ton = Dry Tons/acre</pre>
	(B) 0.44 lbs. of available Cd/acre ÷ (mg./kg of Cd in sample X 0.002) = Dry Tons/acre
	+ (x0.002) =Dry Tons/acre
Annı	ual Application Rate: (LOWER of (a) or (b).)
Annı	ual Application Rate =
5.	Conversion Formula: Dry Tons to Wet Gallons
	(Tons of sludge \times 2000) + (8.34x* solids in the sludge/100) = wet gallons/acre
(x2000) ÷ (8.34x) =wet gallons/acre.
6.	Additional Phosphorous and Potassium needed:
(a)	Phosphorus (P2O5) in waste:
	Tons waste/acre (from 4a or 4b) x % P in waste x 45.8 = 1bs. $P_2 O_5$ added/acre
	xx45.8 =lbs. P ₂ O ₅ added/acre
(b)	Additional P2O5 fertilizer needed:
	Total phosphorous (P_2O_5) needed/acre $-P_2O_5$ added from sludge = lbs. P_2O_5 /acre
	$-$ = lbs. of additional P_2O_5 needed/acre
	* A negative answer means no additional P_2O_5 fertilizer is needed.
(c)	Potassium (K20) in waste:
	Tons waste (from 4a or 4b)/acre x % K in waste x 24 = 1bs. K_2O

lbs.K₂0 added/acre

						75
DEP	7084 (November 2016)					
(d)	Additional K20 fe	rtilizer need	ded:			
	Total K ₂ 0 needed/					375 C
	needed/acre	=	lbs.	of	additi	iona1/K₂0
*A n	egative answer mea	ıns no additi	onal K ₂ 0 i	ertiliz	er is i	needed.
be and (add:	trogen Required - pplied/acre) = lbs itional nitrogen n ication rate is li	of addition nay be needed	al fertil by ferti	izer nit	rogen	applied.
7.	Maximum Amount of	. Waste Allow	able per	Acre:		
	Obtain maximum am on the Cation Ed 45:100 Section 10 calculate the retotal amount of found in 401 KAR	xchange Capac (23). If slu amining life each metal ap	city of t dge has pr time limi oplied fro	the soil reviously ts by somether the new forces of the new forces	from y been ubtrac	401 KAR applied, ting the
	Cadmium (Cd):					
	Maximum Cd allowable/acre + (dry mg					
	+(x0.002) =	tons waste/acr	76		
	Copper (Cu):					
	Maximum Cu allowable/acre ÷ (dr) mg	/kg of Cu in sample x0.002)	tons waste/acre			
	÷(=0.002) =	tons wastelace			
	Lead (Pb):					
	Maximum Pb allowable/acre + (dry mg	/kg of Pb in sample ±0.002) =	tons wastelacre			
	+1	x0.002) =	tons wastelaci	re .		

DEP	7048	(November	2016)							
tons				Years = oplied/ad			from	Item	7	in
	-	+				years				
8.	Number	of yea	rs that	waste c	an be app	olied:				
								*		
CERT	IFICATI	ON								
	attach accord person submit direct inform belief are si includ	ments wance wance wance protection in true, gnifical	rere pre ith a coperly Based cponsible submitt accura	enalty of epared und system de gather on my in le for eed is to ate, and ealties for bility of the state, and ealties for the state of th	der my di esigned and ev aquiry o gatherin o the b complete or submi	rection to assuvate f the p g the est of l am tting f	or sure the the erson informative known aware alse i	pervis t quai inform or per action owledge that nform	ion lifi mati erso , t re a the	in ied ion ons the and ere on,
	Signat	ure of A	Authori	zed Agent			Date			_

Name of Authorized Agent_

Title_