



ENERGY AND ENVIRONMENT CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WATER

300 SOWER BOULEVARD
FRANKFORT, KENTUCKY 40601

Asbestos Waiver

Please fill out this document.

To submit, you may mail the document or submit the document as an attachment to
EEC eForm 169, *Drinking Water Information and Data Submittal*.
If you have any questions, please email us at *DrinkingWaterCompliance@ky.gov*.

You are not required to use this form; it is provided for your convenience.

Systems may submit other forms prepared by other entities or a letter, as long as the required information is included.

PWSID: _____

PWS Name: _____

Address: _____

City, State ZIP: _____

County: _____

I, _____, the responsible officer for the water system, hereby state that, to the best of my knowledge and belief, the above-named water system has no asbestos or asbestos-cement pipe in its distribution system. Asbestos has not been detected during monitoring within the distribution system. Samples for asbestos monitoring in future will be taken at the Plant Tap (EPTDS) rather than in the distribution system.

I, _____, the responsible officer for the water system, hereby state that, to the best of my knowledge and belief, the above named purchasing water system has no asbestos or asbestos-cement pipe in its distribution system and should be waived from asbestos monitoring. Asbestos has not been detected during monitoring in the distribution system or during monitoring from the source water treatment plant.

(Signature/Date)

401 KAR 8:250 as established in C.F.R. 141.23

(b) The frequency of monitoring conducted to determine compliance with the maximum contaminant level for asbestos specified in 40 C.F.R. 141.62(b) shall be conducted as follows:

- (1) Each community and non-transient, non-community water system is required to monitor for asbestos during the first three-year compliance period of each nine-year compliance cycle beginning in the compliance period starting January 1, 1993.
- (2) If the system believes it is not vulnerable to either asbestos contamination in its source water or due to corrosion of asbestos-cement pipe, or both, it may apply to the State for a waiver of the monitoring requirement in paragraph (b)(1) of this section. If the State grants the waiver, the system is not required to monitor.
- (3) The State may grant a waiver based on a consideration of the following factors:
 - (i) Potential asbestos contamination of the water source, and
 - (ii) The use of asbestos-cement pipe for finished water distribution and the corrosive nature of the water.
- (4) A waiver remains in effect until the completion of the three-year compliance period. Systems not receiving a waiver must monitor in accordance with the provisions of paragraph (b)(1) of this section.
- (5) A system vulnerable to asbestos contamination due solely to corrosion of asbestos-cement pipe shall take one sample at a tap served by asbestos-cement pipe and under conditions where asbestos contamination is most likely to occur.
- (6) A system vulnerable to asbestos contamination due solely to source water shall monitor in accordance with the provision of paragraph (a) of this section.
- (7) A system vulnerable to asbestos contamination due both to its source water supply and corrosion of asbestos-cement pipe shall take one sample at a tap served by asbestos-cement pipe and under conditions where asbestos contamination is most likely to occur.