


Figure B-6: Reach indexing results of streams assessed in the 4-Rivers basin (lower Cumberland, Mississippi, Ohio and Tennessee rivers) for Aquatic Life Use



Aquatic Life Use

- Fully Supporting
- Partially Supporting
- Not Supporting
- Streams \geq 4th Order
-  City
-  8-Digit HUC
-  County




Figure B-10: Reach indexing results of streams assessed in the 4-Rivers basin (lower Cumberland, Mississippi, Ohio and Tennessee rivers) for Drinking Water Source Use







Figure B-7: Reach indexing results of streams assessed in the 4-Rivers basin (lower Cumberland, Mississippi, Ohio and Tennessee rivers) for Primary Contact Recreation Use



Primary Contact Recreation Use


-  Fully Supporting
-  Partially Supporting
-  Not Supporting
-  Streams \geq 4th Order
-  City
-  8-Digit HUC
-  County

Figure B-8: Reach indexing results of streams assessed in the 4-Rivers basin (lower Cumberland, Mississippi, Ohio and Tennessee rivers) for Secondary Contact Recreation Use



Source 2008 Integrated Report to Congress

Figure B-9: Reach indexing results of streams assessed in the 4-Rivers basin (lower Cumberland, Mississippi, Ohio and Tennessee rivers) for Fish Consumption Use



- Fish Consumption Use
 - Fully Supporting
 - Partially Supporting
 - Not Supporting
- Streams \geq 4th Order
- City
- 8-Digit HUC
- County

0 5 10 20 30 40 Miles