
Monitoring Kentucky's Climate: The Kentucky Mesonet at WKU

Stuart A. Foster
State Climatologist for Kentucky
Kentucky Climate Center
Western Kentucky University

Kentucky Water Resources Board Frankfort, Kentucky August 29, 2016

Kentucky's Weather and Climate Extremes


Warren County, May 2010



Todd County, October 2010

Kentucky Climate Center

- History
 - Established at Western Kentucky University in 1978
 - Recognized by the AASC as the State Climate Office for Kentucky in 2002
 - National Weather Service funding awarded to build the Kentucky Mesonet in 2006



Climate Services Partnerships







NATIONAL WEATHER SERVICE












A Matter of Perspective

Geostationary Earth Observing Platforms





Remote sensing often provides a bird's-eye view, while people see the world from their front porch.




Talking Points

- Perspectives on Drought
- Kentucky Mesonet at WKU
- Strategic Initiatives
- Questions and Discussion





Flash Drought!





Continental Evolution of 2012 Drought






http://droughtmonitor.unl.edu/MapsAndData/MapArchive.aspx

AMJ and JAS Precipitation, 1895-2011 Western Climate Division, Kentucky





Notes

Vertical blue line represents average¹ AMJ precipitation.

Horizontal blue line represents average¹ JAS precipitation.

Vertical red line represents actual 2012 AMJ precipitation.

Dashed red line represents precipitation for JAS of 2012 required to bring the combined AMJ and JAS total to the average¹. Average is defined as the arithmetic mean of the climate division values for 1895 through 2011.



Dimensions of the 2012 Drought



Mayfield, Graves County July 27, 2012

Graves County

- 3.22" Precipitation on March 8th
- 4.40" Precipitation for the entire spring season
- 99.4° Average high temperature from June 28th through July 8th

Historical Context for the Drought of 2012



Kentucky's Western Climate Division






Synoptic Precipitation Pattern in Late July





Evolution of the 2012 Drought in Kentucky





Dimensions of Drought in Space and Time









- Onset
- Duration
- Peak Intensity
- Extent



Palmer Drought Severity Index



Types of Drought



Sequence of drought occurrence and impacts for commonly accepted drought types. All droughts originate from a deficiency of precipitation or meteorological drought but other types of drought and impacts cascade from this deficiency. (Source: National Drought Mitigation Center, University of Nebraska-Lincoln, U.S.A.) http://drought.unl.edu/DroughtBasics/TypesofDrought.aspx

Kentucky's Climatological Record

- 1825 U.S. Army
- 1861 Smithsonian Institute
- 1874 U.S. Army Signal Corps
- 1891 U.S. Department of Agriculture
- 1940 U.S. Department of Commerce
- 2007 Kentucky Climate Center



Newport Barracks, July 1825

NWS COOP - Manual



NWS COOP - Automated




Kentucky Mesonet







Kentucky's diverse terrain creates distinct local vulnerabilities to weather and climate





Across the Commonwealth














Vertically Integrated System









Site Surveys and Selection

Candidate sites are surveyed and scored

Sites are selected with input from NWS and

local stakeholders

Survey Scores	
Temperature	40
Precipitation	30
Wind	12
Soil	15
Total	97

Survey Secre



Station Installation and Maintenance

- Technicians install stations and instrumentation
- Technicians make spring, summer, and winter maintenance passes
- Technicians respond to "trouble tickets" when QA processes indicate problems



Design Criteria Emphasize Quality and Reliability




Temperature



Precipitation




* selected sites






Metadata Database



KENTUCKY MESSNET | WKU. MESONET DATA FLOW AT&T Cell Tower AT&T Custom APN Datalogger Cellular Modem **Product Generation** Mesonet Staff Ingest / Quality Assurance Server Rack Web Server **Public Safety Users Public Users** Private / Media Users Internet **Consortium Users**



Quality Assurance Procedures



- Automated QA runs on fiveminute data as they are collected from remote sites
- Manual QA is implemented on a daily basis to provide expert assessment of system performance



Meteorological Database

```
Each station collects over 105,000 observations each
         on returns over 2,730,000 data values
```

KYMN, ALBN, TBL 5min, "2010-05-01 14:55:00", "2010-05-01 09:55:00 CDT", "2010-05-01 08:55:00 CST", 62.875, 96.8, 2.55, 139.6, 4.17, 146.7, 38.07, 0.0138

KENTUCKY MESSNET | WKU.


-40 -30 -20 -10

10

30


The Commonwealth's Official Source for Weather and Climate Data

90 100 110 120




60








Kentucky Mesonet Coverage Map



Kentucky Climate Center Strategic Initiatives





Strategic Initiatives

Kentucky Mesonet at WKU

Kentucky Mesonet

- Add 10-12 stations to fill coverage gaps and custom stations to meet local demand
- Enhanced instrumentation package
 - Soil probes (where not currently deployed)
 - Multi-level temperature and wind
 - Add barometric pressure sensors
- Add 3 atmospheric flux monitoring stations


Targeted completion by FY19



Strategic Initiatives

Forecasting & Outlooks

- Develop an operational unit to provide customized weather forecasts and climate outlooks
 - Hire staff meteorologist and student interns
 - Utilize existing NWS forecast model output and develop option to generate forecasts incorporating mesonet data
 - Provide client-focused forecast and outlook products. For agriculture, these would include
 - forecasts relating to stress on crops and livestock
 - outlooks for growing degree days
 - forecasts for irrigation scheduling



Strategic Initiatives Climate Modeling

- Conduct meso-scale simulations to model impacts of land use/land cover change on atmospheric conditions
- Provide high-resolution, downscaled climate model projections for Kentucky based on model runs reported in the most recent National Climate Assessment
 - Models can be run for various time horizons

